

SECTION - X
REFERENCES

References:

- Acharya, J.D. & Ghaskadhi, S. S. (2010). Islets and their increased antioxidant defense. *Islets*, 2(4);225-235.
- Agrawal, R. P., Aradhana, R., Hussain, S., Sabir, M., Kochar, D. K., & Kothari, R. P. (2003). Influence of yogic treatment on quality of life outcomes, glycemic control and risk factors in diabetes mellitus. *International Journal of Diabetes in Developing Countries*, 23(4), 130-134.
- Ahrén, B. & Holst, J. J. (2001). The cephalic insulin response to meal ingestion in humans is dependent on both cholinergic and noncholinergic mechanisms and is important for postprandial glycemia. *Diabetes*, 50, 1030–1038.
- Aljasir B, Bryson M, Al-Shehri B. Yoga practice for the management of type II diabetes mellitus in adults: A systematic review. *Evidence-based Complement Altern Med* 2010;**7**:399–408.
- Amita, S., Prabhakar, S., Manoj, I., Harminder, S., & Pavan. T. (2009). Effect of Yoga-nidra on Blood Glucose Level in Diabetic Patients. *Indian Journal of Physiology and Pharmacology*, 53(1), 97-101.
- Benichou, T., Pereira, B., Mermillod, M., Tauveron, I., Pfabigan, D., Maqdasy, S., & Dutheil, F. (2018). Heart rate variability in type 2 diabetes mellitus: A systematic review and meta-analysis. *PloS one*, 13(4), e0195166.
- Benninger, R. K., & Hodson, D. J. (2018). New Understanding of β -Cell Heterogeneity and In Situ Islet Function. *Diabetes*, 67(4), 537-547.
- Berthoud, H. R., Bereiter, D. A., Trimble, E. R., Siegel, E. G., & Jeanrenaud, B. (1981). Cephalic phase, reflex insulin secretion: neuroanatomical and physiological characterization. *Diabetologia*, 20, 393–401.
- Brissavo, M., Fowler, M., Nicholson, W., Chu, A., Hirshberg, B., Harlan, D. & Powers. A. (2005). Assessment of human pancreatic islet architecture and composition by laser scanning confocal microscopy. *J Histochem Cytochem* 53,1087-1097.

Cabrera, O., Berman, D., Kenyon, N., Ricordi, C., Berggren, P. & Caicedo, A. (2006). The unique cytoarchitecture of human pancreatic islets has implications for islet cell function. *Proc Natl Acad Sci*, 103, 2334-2339.

Cervera, A., Wajsborg, E., Sriwijitkamol, A., Fernandez, M., Zuo, P., Triplitt, C., et al. (2008) Mechanism of action of exenatide to reduce postprandial hyperglycemia in type 2 diabetes. *American Journal of Physiology-Endocrinology and Metabolism*, 294(5), E846-52.

Chandalia, M., Lin, P., Seenivasan, T., Livingston, E. H., Snell, P. G., Grundy, S. M., & Abate, N. (2007). Insulin resistance and body fat distribution in South Asian men compared to Caucasian men. *PloS one*, 2(8), e812.

Chang-Chen, K. J., Mullur, R. & Bernal-Mizrachi, E (2008). β -cell failure as a complication of diabetes. *Reviews in Endocrine and Metabolic Disorders*, 9(4), 329.

Chaya, M. S., Ramakrishnan, G., Shastry, S., Kishore, R. P., Nagendra, H., Nagarathna, R, et al. (2008). Insulin sensitivity and cardiac autonomic function in young male practitioners of yoga. *The National Medical Journal of India*, 21(5), 217–221.

Conn, P. M., Goodman, H. M. & Kostyo, J. L. (1998). *The Endocrine System*. Published for the American Physiological Society by Oxford University Press, New York.

Cramer H, Haller H, Dobos G, Lauche R. A Systematic Review and Meta-Analysis Estimating the Expected Dropout Rates in Randomized Controlled Trials on Yoga Interventions. *Evid Based Complement Alternat Med* 2016, (2016).

DeFronzo, R. (2009). From the triumvirate to the ominous octet: A new paradigm for the treatment of type 2 diabetes mellitus. *Diabetes*, 58, 773–795.

Dungan, K. M., Osei, K., Sagrilla, C. & Binkley, P. (2013). Effect of the approach to insulin therapy on glycaemic fluctuations and autonomic tone in hospitalized patients with diabetes. *Diabetes, Obesity and Metabolism*, 15, 558-563.

Eaton, W. W., Armenian, H., Gallo, J., Pratt, L., & Ford, D. E. (1996). Depression and risk for onset of type II diabetes: a prospective population-based study. *Diabetes Care*, 19(10), 1097-1102.

Figueira, F. R., Umpierre, D., Casali, K. R., Tetelbom, P. S., Henn, N. T., Ribeiro, J. P., & Schaan, B. D. (2013). Aerobic and combined exercise sessions reduce glucose variability in type 2 diabetes: crossover randomized trial. *PloS one*, 8(3), e57733.

Gaisano, H., MacDonald, P. E., & Vranic, M. (2012). Glucagon secretion and signaling in the development of diabetes. *Frontiers in physiology*, 3, 349.

Gehlaut, R. R., Dogbey, G. Y., Schwartz, F. L., Marling, C. R., & Shubrook, J. H. (2015). Hypoglycemia in type 2 diabetes-more common than you think: a continuous glucose monitoring study. *Journal of diabetes science and technology*, 9(5), 999-1005.

Gilon, P., & Henquin, J. C. (2001). Mechanisms and physiological significance of the cholinergic control of pancreatic β -cell function. *Endocrine reviews*, 22(5), 565-604.

Gordon, L. A., Morrison, E. Y., McGrowder, D. A., Young, R., Fraser, Y. T., Zamora, E.M., et al. (2008). Effect of exercise therapy on lipid profile and oxidative stress indicators in patients with type 2 diabetes. *BMC complementary and alternative medicine*, 8(1), 21.

Gurudut, P., & Rajan, A. P. (2017). Immediate effect of passive static stretching versus resistance exercises on postprandial blood sugar levels in type 2 diabetes mellitus: a randomized clinical trial. *Journal of exercise rehabilitation*, 13(5), 581.

Hägglund, E., Hagerman, I., Dencker, K., & Strömberg, A. (2017) Effects of yoga versus hydrotherapy training on health-related quality of life and exercise capacity in patients with heart failure: A randomized controlled study. *European Journal of Cardiovascular Nursing* 2017;1:1474515117690297.

Hagins M, States R, Selfe T, Innes K. (2013). Effectiveness of yoga for hypertension: Systemic review and meta-analysis. *Evidence- Based Complement Alternative Med*;2013.

Hou, Z. Q., Li, H. L., Gao, L., Pan, L., Zhao, J. J., & Li, G. W. (2008). Involvement of chronic stresses in rat islet and INS-1 cell glucotoxicity induced by intermittent high glucose. *Molecular and cellular endocrinology*, 291(1-2), 71-78.

Innes, K. E., & Vincent, H. K. (2007). The Influence of Yoga-Based Programs on Risk Profiles in Adults with Type 2 Diabetes Mellitus : A Systematic Review. *Evidence-Based Complement Altern Med*,4,1–18.

International Diabetes Federation. *IDF Diabetes Atlas* (2006), 3rd ed. Brussels: International Diabetes Federation 2016.

International Diabetes Federation. *IDF Diabetes Atlas* (2017), 8th ed. Brussels: International Diabetes Federation 2017.

Inzucchi, S. E., Bergenstal, R. M., Buse, J. B.,.... & Matthews, D. R. (2015). Management of Hyperglycemia in Type 2 Diabetes, 2015: A Patient-Centered Approach: Update to a Position Statement of the American Diabetes Association and the European Association for the Study of Diabetes. *Diabetes Care*, 38 (1), 140- 149.

Johnsson, I. W., Haglund, B., Ahlsson, F., & Gustafsson, J. (2015). A high birth weight is associated with increased risk of type 2 diabetes and obesity, *Pediatric obesity*, 10 (2), 77-83.

Jyotsna, V. P., Ambekar, S., Singla, R., Joshi, A., Dhawan, A., Kumar, N., et al. (2013). Cardiac autonomic function in patients with diabetes improves with practice of comprehensive yogic breathing program. *Indian journal of endocrinology and metabolism*, 17(3), 480.

Jyotsna, V. P., Joshi, A., Ambekar, S., Kumar, N., Dhawan, A., & Sreenivas, V. (2012). Comprehensive yogic breathing program improves quality of life in patients with diabetes. *Indian journal of endocrinology and metabolism*, 16(3), 423.

Karstoft, K., Clark, M. A., Jakobsen, I., Müller, I. A., Pedersen, B. K., Solomon, T. P., & Ried-Larsen, M. (2017). The effects of 2 weeks of interval vs continuous walking training on

glycaemic control and whole-body oxidative stress in individuals with type 2 diabetes: a controlled, randomised, crossover trial. *Diabetologia*, 60(3), 508-517.

Kerr, D., Gillam, E., Ryder, J., Trowbridge, S., Cavan, D., & Thomas, P. (2002). An Eastern art form for a Western disease: randomised controlled trial of yoga in patients with poorly controlled insulin-treated diabetes. *Practical Diabetes International*, 19(6), 164-6.

Kieffer, T. J. & Francis Habener, J. The Glucagon-Like Peptides. *Endocr Rev* 1999;20: 876–913.

Kohnert, K. D., Augstein, P., Zander, E., Heinke, P., Peterson, K., Freyse, E. J., Hovorka, R. & Salzsieder, E. (2009). Glycemic Variability Correlates Strongly With Postprandial β -cell Dysfunction in a segment of Type 2 Diabetic Patients Using Oral Hypoglycemic Agents. *Diabetes Care*, 32(6), 1058-1062.

Kohnert, K. D., Freyse, E. J. & Salzsieder, E. (2012). Glycemic Variability and Pancreatic β -cell Dysfunction. *Current Diabetes Reviews*, 8, 345-54.

Kumar, V., Jagannathan, A., Philip, M., Thulasi, A., Angadi, P., & Raghuram, N. (2016). Role of yoga for patients with type II diabetes mellitus: A systematic review and meta-analysis. *Complement Ther Med*, 25, 104–112.

Lazar, S. W., Kerr, C. E., Wasserman, R. H., Gray, J. R., Greve, D. N., Treadway, M. T., et al. (2005). Meditation experience is associated with increased cortical thickness. *Neuroreport*, 16(17), 1893.

Le Lay S., Simard, G., Martinez, M. C. & Andriansitohaina, R. (2014). Oxidative stress and metabolic pathologies: From an adipocentric point of view. *Oxidative Medicine and cellular longevity*, 2014. doi.org/10.1155/2014/908539, 25143800

Lean, M. E. J., Leslie, W. S., Barnes, A. C.... & Rodrigues, A. M. (2017). Primary care-led weight management for remission of type 2 diabetes (DiRECT): an open-label, cluster-randomised trial. *The Lancet*, 391(10120), 541-551.

Lee, J., Liu, R, De Jesus, D., Kim, B. S., Ma, K., Maulik, M., et al. (2015). Circadian control of β - cell function and stress response. *Diabetes Obes Metab*, 17(01), 123-133. DOI: 10.1111/dom.12524

Leonid Poretsky, (2009). Principles of diabetes mellitus (2nd ed.). New York: Springer. p. 3. ISBN 978-0-387-09840-1.

Lind, M., Odén, A., Fahlén, M., & Eliasson, B. (2008). A systematic review of HbA1c variables used in the study of diabetic complications. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*, 2(4), 282-293.

Malhotra, V., Singh, S., Tandon, O. P., Madhu, S. V., Prasad, A., & Sharma, S. B. (2002) Effect of Yoga asanas on nerve conduction in type 2 diabetes. *Indian journal of physiology and pharmacology*, 46(3), 298-306.

Manjunatha, .S, Vempati, R. P., Ghosh, D., Bijlani, R.L. (2005). An investigation into the acute and long-term effects of selected yogic postures on fasting and postprandial glycemia and insulinemia in healthy young subjects. *Indian J Physiol Pharmacol*, 49, 319-324.

McDermott, K. A., Rao, M. R., Nagarathna, R., Murphy, E. J., Burke, A., Nagendra, R. H., & Hecht, F.M. (2014). A yoga intervention for type 2 diabetes risk reduction: a pilot randomized controlled trial. *BMC complementary and alternative medicine*, 14(1), 212.

Mikus, C. R., Oberlin, D. J., Libla, J., Boyle, L. J., & Thyfault, J. P. (2012). Glycemic control is improved by 7 days of aerobic exercise training in patients with type 2 diabetes. *Diabetologia*, 55(5), 1417-1423.

Monnier, L., Colette, C., & Owens, R. D. (2008). Glycemic Variability: The Third Component of the Dysglycemia in Diabetes. Is It Important? How to Measure It? *Journal of Diabetes Science and Technology*, 2(6), 1094-1100.

Nagarathna, R., Usharani, M. R., Rao, A. R., Chaku, R., Kulkarni, R., & Nagendra, H. R (2012). Efficacy of yoga based life style modification program on medication score and lipid profile in

type 2 diabetes—a randomized control study. *International Journal of Diabetes in Developing Countries*, 32(3), 122-30.

Nagendra, H. R. (2010). The *Pancha koshas* and yoga. In: Ramakrishna RK, editor. *Yoga and Parapsychology*. Delhi: Motilal Banarsidass Publishers, 212-26.

Olson, L. K., Redmon, J. B., Towle, H. C., & Robertson, R. P. (1993). Chronic exposure of HIT cells to high glucose concentrations paradoxically decreases insulin gene transcription and alters binding of insulin gene regulatory protein. *J Clin Invest.*, 92, 514–519.

Olson, L. K., Sharma, A., Peshavaria, M., Wright, C. V., Towle, H. C., Robertson, R. P., & Stein, R. (1995). Reduction of insulin gene transcription in HIT-T15 beta cells chronically exposed to a supraphysiologic glucose concentration is associated with loss of STF-1 transcription factor expression. *Proc Natl Acad Sci.*, 92, 9127–9131.

Pfützner, A., & Forst, T. (2011). Elevated intact proinsulin levels are indicative of Beta-cell dysfunction, insulin resistance, and cardiovascular risk: impact of the antidiabetic agent pioglitazone. *J Diabetes Sci Technol.*, 5, 784–93.

Prentki, M., & Nolan, C. J. (2006). Islet β -cell failure in type 2 diabetes. *J Clin Invest.*, 116,1802–1812.

Qatanani, M., & Lazar, M. A. (2007). Mechanisms of obesity-associated insulin resistance: Many choices on the menu. *Genes Dev*, 21, 1443–1455.

Quagliaro, L., Piconi, L., Assaloni, R., Martinelli, L., Motz, E., & Ceriello, A. (2003). Intermittent high glucose enhances apoptosis related to oxidative stress in human umbilical vein endothelial cells: the role of protein kinase C and NAD (P) H-oxidase activation. *Diabetes*, 52(11), 2795-2804.

Raina, M. K. (2016). THE LEVELS OF HUMAN CONSCIOUSNESS AND CREATIVE FUNCTIONING: INSIGHTS FROM THE THEORY OF PANCHAKOSHA (FIVE SHEATHS OF CONSCIOUSNESS). *Journal of Transpersonal Psychology*, 48(2), 168-189.

Rajesh, P., Gurumurthy, S. M., & Parvathi, G. (2013). Effect of yoga therapy on anthropometry, metabolic parameters and cardiac autonomic function tests in type 2 diabetes mellitus patients. *Int J Biomed Res*, 4, 330–338.

Rocca, A. S. & Brubaker, P. L. (1999). Role of the Vagus Nerve in Mediating Proximal Nutrient-Induced Glucagon-Like Peptide-1 Secretion. *Endocrinology*, 140, 1687–1694.

Rodriguez-Diaz, R., & Caicedo, A. (2014). Neural control of the endocrine pancreas. *Best practice & research Clinical endocrinology & metabolism*, 28(5), 745-756.

Rorsman, P., Berggren, P. O., Bokvist, K., Ericson, H., Mohler, H., Ostenson, C.G. & Smith, P. A. (1989). Glucose inhibition of glucagon secretion involves activation of GABA_A-receptor chloride channels. *Nature*, 341, 233-236.

Ross, A. & Thomas, S. (2010). The Health Benefits of Yoga and Exercise : A Review of Comparison Studies. *J Altern Complement Med*, 16,3–12.

Seshiah, V. & Balaji V (2010). A Hand book of Diabetes Mellitus. All India Publishers & Distributors. 5th edition.

Schmidt, T., Wijga, A., Von ZurMühlen, A., Brabant, G., & Wagner, T. O. (1997). Changes in cardiovascular risk factors and hormones during a comprehensive residential three month kriya yoga training and vegetarian nutrition. *Acta Physiol Scand Suppl*, 640, 158–62.

Schwartz, S. S., Epstein, S., Corkey, B. E., Grant, S. F., Gavin, J. R. & Aguilar, R. B. (2016). The time is right for a new classification system for diabetes: rationale and implications of the β -cell–centric classification schema. *Diabetes Care*, 39(2), 179-86.

Shan, Z., Ma, H., Xie, M., Yan, P., Guo, Y., Bao, W... & Liu, L. (2015). Sleep duration and risk of type 2 diabetes: a meta-analysis of prospective studies. *Diabetes care*, 38 (3), 529-537.

Singh, S., Malhotra, V., Singh, K. P., Madhu, S. V., & Tandon, O. P. (2004). Role of yoga in modifying certain cardiovascular functions in type 2 diabetic patients. *The Journal of the Association of Physicians of India*, 52, 203-206

Singh, S., Kyizom, T., Singh, K. P., Tandon, O. P., & Madhu, S. V. (2008). Influence of pranayamas and yoga-asanas on serum insulin, blood glucose and lipid profile in type 2 diabetes. *Indian Journal of Clinical Biochemistry*, 23, 365–368.

Sinha, S., Singh, S. N., Monga, Y. P., & Ray, U. S. (2007). Improvement of glutathione and total antioxidant status with yoga. *The Journal of Alternative and Complementary Medicine*, 13(10), 1085-1090.

Siu, P. M., Yu, A. P., Benzie, I. F. & Woo, J. (2015). Effects of 1-year yoga on cardiovascular risk factors in middle-aged and older adults with metabolic syndrome: a randomized trial. *Diabetol Metab Syndr*, 7, 40.

Stagner, J. I. & Samols, E. (1992). The vascular order of islet cellular perfusion in the human pancreas. *Diabetes*, 41, 93-97.

Staimez, L. R., Weber, M. B., Ranjani, H., Ali, M. K., Echouffo-Tcheugui, J. B., Phillips, L. S., ...& Narayan, K. V. (2013). Evidence of reduced β -cell function in Asian Indians with mild dysglycemia. *Diabetes care*, 36(9), 2772-2778.

Streeter, C. C., Whitfield, T. H., Owen, L., Rein, T., Karri, S. K., Yakhkind, A., ...& Jensen, J. E. (2010). Effects of yoga versus walking on mood, anxiety, and brain GABA levels: a randomized controlled MRS study. *The Journal of Alternative and Complementary Medicine*, 16(11), 1145-1152.

Stratton, I. M., Adler, A. I., Neil, H. A. W., Matthews, D. R., Manley, S. E., Cull, C. A., ... & Holman, R. R. (2000). Association of glycaemia with macrovascular and microvascular complications of type 2 diabetes (UKPDS 35): prospective observational study. *BMJ*, 321(7258), 405-412.

Su, G., Mi, S., Tao, H., Li, Z., Yang, H., Zheng, H., ...& Ma, C. (2011). Association of glycemic variability and the presence and severity of coronary artery disease in patients with type 2 diabetes. *Cardiovascular Diabetology*, 10(1), 19.

Taborsky, G. J., Smith, P. H. & Porte, D. (1979). Differential effects of somatostatin analogues on alpha- and beta- cells of the pancreas. *Am J Physiol Endocrinol Metab* 236, E123-E128.

Taborsky, G. J. (2010). The Physiology of Glucagon. *Journal of Diabetes Science and Technology*, 4(6), 1338–1344.

Tay, J., Thompson, C. H., & Brinkworth, G. D. (2015). Glycemic Variability: Assessing Glycemia Differently and the Implications for Dietary Management of Diabetes. *Annual Review of Nutrition*, 35, 389-424.

Teff, K. L. & Townsend, R. R. (1999). Early phase insulin infusion and muscarinic blockade in obese and lean subjects. *Am J Physiol.*, 277, R198–R208.

Tengholm, A. & Gylfe, E. (2009). Oscillatory control of insulin secretion. *Mol Cell Endocrinol*, 297, 58-72.

Tiedge, M., Lortz, S., Drinkgern, J., & Lenzen, S. (1997). Relation between Antioxidant Enzyme Gene Expression and Antioxidative Defense Status of Insulin-Producing Cells. *Diabetes*, 46, 1733–1742.

Vaishali, K., Kumar, K. V., Adhikari, P., & UnniKrishnan, B. (2012). Effects of yoga-based program on glycosylated hemoglobin level serum lipid profile in community dwelling elderly subjects with chronic type 2 diabetes mellitus—a randomized controlled trial. *Physical & Occupational Therapy in Geriatrics*, 30(1), 22-30.

Venugopal, V., Rathi, A., & Raghuram, N. (2017). Effect of short-term yoga-based lifestyle intervention on plasma glucose levels in individuals with diabetes and pre-diabetes in the community. *Diabetes & Metabolic Syndrome: Clinical Research & Reviews*.

Vijayakumar, V., Mavathur, R., & Sharma, M. N. (2017). Ethnic Disparity and Increased Prevalence of Type 2 Diabetes among South Asians: Aetiology and Future Implications for Diabetes Prevention and Management. *Current diabetes reviews*.

Vijayakumar, V., Mavathur, R., Aruchunan, M., & Sharma, M.N (2018). Moving beyond HbA1C and plasma glucose levels to understand glycemic status in type 2 diabetes mellitus. *Journal of Diabetes*, 10(2018), 609-610.

Wang, T., Huang, T., Li, Y., Zheng, Y., Manson, J. E., Hu, F. B., & Qi, L. (2016). Low birthweight and risk of type 2 diabetes: a Mendelian randomisation study. *Diabetologia*, 59 (9), 1920-1927.

Wolff, M., Sundquist, K., Larsson L. S., & Midlöv, P. (2013). Impact of yoga on blood pressure and quality of life in patients with hypertension - a controlled trial in primary care, matched for systolic blood pressure. *BMC Cardiovasc Disord*,13, 111.

Wojtusciszyn, A., Armanet, M., Morel, P., Berney, T. & Bosco, D. (2008). Insulin secretion from human beta cells is heterogeneous and dependent on cell-to-cell contacts. *Diabetologia*, 51, 1843-1852.

Wulsin, L., Herman, J. & Thayer, J. F. (2018). Stress, autonomic imbalance, and the prediction of metabolic risk: A model and a proposal for research. *Neuroscience and Biobehavioural Reviews*, 86, 12-20.

Hoffstad, O., Mitra, N., Walsh, J., and Margolis, J.D. (2015). Diabetes, Lower-Extremity Amputation, and Death. *Diabetes Care*. DOI: 10.2337/dc15-0536.

American Diabetes Association (ADA). (2004). Goldstein, D.E., Little, R.R., Lorenz, R.A., Malone, J.I., Nathan, D.M. and Peterson, C.M. Tests of Glycemia in Diabetes. *Diabetes Care*, 27(1), S91–3.

Ahmad, M. S and Ahmed, N. (2006). Antiglycation Properties of Aged Garlic Extract: Possible Role in Prevention of Diabetic Complications. *The Journal of Nutrition* [online], 136, S: 796-799.

Ahn, A.C., Bennani, T., Freeman, R., Hamdy, O. and Kaptchuk, T. J. (2007). Two styles of acupuncture for treating painful diabetic neuropathy – a pilot randomised control trial. *Acupuncture in Medicine*, 25, 1-17.

Akilen, R., Tsiami, A., Devendra, D. and Robinson, N. (2010). Glycated haemoglobin and blood pressure-lowering effect of cinnamon in multi-ethnic Type 2 diabetic patients in the UK: a randomized, placebo-controlled, double-blind clinical trial. *Diabetic Medicine*, 27 (10), 1159-1167.

Alarcon- Aguilera, F. J., Roman- Ramos, R., Perez- Gutierrez, S., Aguilar- Contreras, A., Contreras- Weber, C.C. and Flores- Saenz, J.L. (1998). Study of the anti-hyperglycaemic effect of plants used as antidiabetics. *Journal of Ethnopharmacology*, 61, 101–110.

Aljasir, B., Bryson, M. and Al-shehri, B. (2010). Yoga practice for the Management of Type II Diabetes Mellitus in Adults: A systematic review. *The Complementary and Alternative Medicine*, 7(4), 399-408.

Altschuler, J.A., Casella, S.J., MacKenzie, T.A., Curtis, K.M. (2007). The effect of cinnamon on A1C among adolescents with type 1 diabetes. *Diabetes Care*, 30, 813–816.

American Diabetes Association (ADA). (2004). Unproven therapies (Position Statement). *Diabetes Care*, 27, S135.

American Diabetes Association (ADA). (2005). Standards of medical care in diabetes. *Diabetes Care*, 28, S4–S36.

Andersson, K., Wandell, P. and Tornkvist, T. (2004). Tactile massage improves glycaemic control in women with type 2 diabetes: a pilot study. *Practical Diabetes International*, 2004 Apr, 21 (3), 105-109.

Ashraf, R., Aamir, K., Shaikh, A. R. and Ahmed, M. (2005). Effects of Garlic on Dyslipidemia in Patients with type 2 Diabetes mellitus. *Journal of Ayub Medical College Abbottabad [Online]*, 17(3), 1-5.

Bell, R. A., Suerken, C. K., Grzywacz, J. G., Lang W, Quandt, S. A., and Arcury, T. A. (2006). Complementary and alternative medicine use among adults with diabetes in the United States. *Alternate Therapies in Health and Medicine*, 12, 16–22.

Biessels, G.J., Kamal, A., Urban, I.J., Spruijt, B.M., Erkelens, D.W and Gispen, W.H. (1998). Water maze learning and hippocampal synaptic plasticity in streptozotocin-diabetic rats: effects of insulin treatment. *Brain Research*, 800, 125–135.

Birdee, G.S. and Yeh, G. (2010). Complementary and Alternative Medicine Therapies for Diabetes: A Clinical Review. *Clinical Diabetes*, 28 (4), 147-155.

Biyani, M. K., Banavalikar, M. M., Suthar, A. C., Shahani, S., Sivakami, S. and Vidri, J. (2003). Antihyperglycemic Effects of Three extracts from *Momordica charantia*. *Journal of Ethnopharmacology*, 88, 107-111.

Blevins, S.M., Leyva, M.J., Brown, J., Wright, J., Scofield, R.H. and Aston, C.E. (2007). Effect of cinnamon on glucose and lipid levels in non insulin-dependent type 2 diabetes. *Diabetes Care*, 30(9), 2236 –2237.

Bradley, R., Kozura, E., Buckle, H., Kaltunas, J., Tais, S. and Standish L.J. (2009). Description of Clinical Risk Factor Changes During Naturopathic Care for Type 2 Diabetes. *Journal of Alternate and Complementary medicine*, 15 (6), 633-638.

Bradley, R. and Oberg, E.B. (2006). Naturopathic Medicine and Type 2 Diabetes: A Retrospective Analysis from an Academic Clinic. *Alternate Medicine Review*, 11(1), 30–39.

Castro-Sanchez, A., Moreno-Lorenzo, C., Mataran-Penarrocha, G.A, Feriche-Fernandez-Castanys, B., Granados-Gamez, G. and Quesada-Rubio, J.M. (2011). Connective Tissue Reflex Massage for Type 2 Diabetic Patients with Peripheral Arterial Disease: Randomized Controlled Trial. *Evidence-based complementary and Alternative Medicine* [Online], Article ID 804321.

Crawford, P. (2009). Effectiveness of Cinnamon for Lowering Hemoglobin A1C in Patients with Type 2 Diabetes: A Randomized, Controlled Trial. *The Journal of the American Board of Family Medicine* [online], 22 (5), 507-512.

Dans, A. M. L., Villarruzb, M. V. C. and Jimenoa, C. A. (2006). The effect of Momordica charantia capsule preparation on glycaemic control in Type 2 Diabetes Mellitus needs further studies. *Journal of Clinical Epidemiology* [online], 60, 554-559.

Dey, L., Attele, A. S. and Yuan, C. S. (2002). Alternative therapies for Type 2 Diabetes. *Alternative Medicine Review*, 7 (1), 45-56.

Fairman, K.A. and Curtiss, F.R. (2009). Call for comparative effectiveness research: lowering a1c with sitagliptin, saxagliptin, or cinnamon. *Journal of Managed Care Pharmacy*, 15(8), 696-700.

Franz, M. J., Bantle, J. P., Beebe, C. A., Brunzell, J. D., Chiasson, J. L., Garg, A., Holzmeister, L. A., Hoogwerf, B., Mayer-Davis, E., Mooradian, A. D., Purnell, J. Q. and Wheeler, M. (2002). Evidence-Based Nutrition Principles and Recommendations for the Treatment and Prevention of Diabetes and Related Complications. *Diabetes Care*, 25 (1),148-198.

Gupta, A., Gupta, R. and Lal, B. (2001). Effect of Trigonella foenum-graecum (fenugreek) seeds on glycaemic control and insulin resistance in type 2 diabetes mellitus: a double blind placebo controlled study. *Journal of Association of Physicians of India*, 49, 1057- 1061.

Izzo, A. A. and Ernst, E. (2001). Interactions Between Herbal Medicines and Prescribed Drugs: A Systematic Review. *Drugs* [online], 61 (15), 2163-2175.

Jadad, A.R., Moore, R. A., Carroll, D., Jenkinson, C., Reynolds, D.J.M., Gavaghan, D.J. and McQuay, H.J. (1996). Assessing the Quality of Reports of Randomized Clinical Trials: Is Blinding Necessary? *Controlled Clinical Trials* [online], 17, 1- 12.

Jang, M., Shin, M., Kim, Y., Kim, E. And Kim, C. (2003). Effect of Acupuncture on Nitric oxide Synthase Expression in Cerebral Cortex of Streptozotocin- induced Diabetic Rats. *Acupuncture and Electro-therapeutics Research: International Journal*, 28, 1-10.

Jenkins, D. J.A., Kendall, C.W.C., McKeown-Eyssen, G., Josse, R. G., Silverberg, J., Booth, G. L., Vidgen, E., Josse, A. R., Nguyen, T.H. , Corrigan, S., Banach, M. S., Ares, S., Mitchell, S., Emam, A., Augustin, L.S.A., Parker, T. L. and Leiter, L. A (2008). Effect of a low-glycemic index or a high-

cereal fiber diet on type 2 diabetes: a randomized trial. *Journal of the American Medical Association* [online], 300 (23), 2742-53.

John, A.J., Cherian, R., Subhash, H. S., Cherian, A. M. (2003). Evaluation of the efficacy of bitter gourd (*Momordica charantia*) as an oral hypoglycemic agent--a randomized controlled clinical trial. *Indian Journal of Physiology and Pharmacology* [online], 47(3), 363–65.

Karel, R. 2008. Ten Herbs for Glycaemic Control in Type 2 Diabetes. *Journal of the American Herbalists Guild*, 8 (2), pp. 53-63.

Khan, A., Khattak, K.N., Safdar, M., Anderson, R.A. and Khan, M.M.A. (2003). Cinnamon improves glucose and lipids of people with type 2 diabetes. *Diabetes Care*, 26 (12), 3215–3218.

Lee, A. C. C and Kemper, K. J. (2000). Homeopathy and Naturopathy: practice Characteristics and Paediatric Care. *Archives of Paediatric and Adolescent medicine*, 154, 75-80.

Lee Y, Lingvay I, Szczepaniak LS, Ravazzola M, Orci L, Unger RH (2010). Pancreatic steatosis: harbinger of type 2 diabetes in obese rodents. *International Journal of Obesity*, 34, 396–400

Lim, E.L., Hollingsworth, K.G., Aribisila, B.S., Chen, M.J., Mathers, J.C. and Taylor, R. (2011). Reversal of type 2 diabetes: normalisation of beta cell function in association with decreased pancreas and liver triacylglycerol. *Diabetologia*[online].

Ma, Y., Olendzki B. C., Merriam, P. A., Chiriboga, D. E., Culver, A. L., Li, W., Herbert, J. R., Ockene, I. S., Griffith, J. A., and Pagoto, S. L. (2008). A randomized clinical trial comparing low-glycemic index versus ADA dietary education among individuals with type 2 diabetes. *Nutrition*, 24 (1) , 45-56.

Mang, B., Wolters, M., Schmitt, B, Kelb, K., Lichtinghagen, R., Stichtenoth, D.O and Hahn, A. (2006). Effects of a cinnamon extract on plasma glucose, HbA1c, and serum lipids in diabetes mellitus type 2. *European Journal of Clinical Investigation* [online], 36, 340–344.

Mehrotra, R., Bajaj, S. and Kumar, D. (2004). Use of complementary and alternative medicine by patients with diabetes mellitus. *The National Medical Journal of India*, 17 (5), 243-245.

Mowla, A., Alauddin, M., Rahman, A. and Ahmed, K (2009). Antihyperglycemic effect of *Trigonella foenum-graecum* (Fenugreek) seed extract in Alloxan-induced diabetic rats and its use in Diabetes mellitus: A brief qualitative phytochemical and acute toxicity test on the extract. *African Journal of Traditional, Complementary and Alternative medicines*, 6 (3), 255-261.

Nield, L., Moore, H., Hooper, L., Cruickshank, K., Vyas, A., Whittaker, V. and Summerbell, C.D (2009). Dietary advice for treatment of type 2 diabetes mellitus in adults (Review). *Cochrane database of Systematic Reviews*.

Nivitabishekam, S.N., Asad, M. and Prasad, V.S (2009). Pharmacodynamic interaction of *Momordica charantia* with rosiglitazone in rats. *Chemico-Biological Interactions*, 177(3), 247–53.

Ooi, C.P., Yassin, Z and Hamid, T.A. (2010). *Momordica charantia* for type 2 diabetes mellitus. *Cochrane database of Systematic Reviews*. Available at: <http://www2.cochrane.org/reviews/en/ab007845.html>.

Paul, A. and Raychaudhuri, S. S. (2010). Medicinal Uses and Molecular Identification of Two *Momordica charantia* Varieties – a review. *Electronic Journal of Biology [online]*, 6(2), 43-51.

Petrofsky, J.S., Besonis, C. and Rivera, D. (2005). Circulatory response to hydrotherapy and dry heat in individuals with type 2 diabetes. *International Journal of Therapy & Rehabilitation*, 12 (11), 491- 497.

Platel K and Srinivasan K. (1997) Plant foods in the management of diabetes mellitus: vegetables as potential hypoglycaemic agents. *Nahrung*; 41,. 68–74

Qin, B., Panickar, K.S. and Anderson, R. A. (2010). Cinnamon: Potential Role in the Prevention of Insulin Resistance, Metabolic Syndrome, and Type 2 Diabetes. *Journal of Diabetes Science and Technology [online]*, May 2010, 4(3), 685-693.

Reeds, D. N., Patterson, B. W., Okunade, A., Holloszy, J. O., Polonsky, K. S. and Klein, S. (2011). Ginseng and Ginsenoside Re Do Not Improve β -Cell Function or Insulin Sensitivity in Overweight and Obese Subjects With Impaired Glucose Tolerance or Diabetes. *Diabetes Care*, May 2011, 34, 1071-1076.

Rizzo, N. S., Sabate, J., Jaceldo-Siegl, K. and Fraser, G. E. (2011). Vegetarian Dietary Patterns Are Associated With a Lower Risk of Metabolic Syndrome: The Adventist Health Study 2. *Diabetes Care*, May 2011, 34, 1225-1227.

Salas-Salvado, J., Bullo, M., Babio, N., Martinez-Gonzalez, M.A., Jurado, N.I., Basora, J., Estruch, R., Covas, M.I., Corella, D., Aros, F., Gutierrez, V.R. and Ros, E. (2011). Reduction in the Incidence of Type 2 Diabetes With the Mediterranean Diet: Results of the PREDIMED-Reus nutrition intervention randomized trial. *Diabetes Care*, 34, 14- 19.

Saxena, A. And Kishore, N. (2004). Role of Selected Indian Plants in Management of Type 2 Diabetes: A Review. *The Journal of Alternate and Complementary Medicine*, 10 (2), 369-378.

Saw, A., Kwan, M. K. and Sengupta, S. (2004). Necrotising fasciitis: a life-threatening complication of acupuncture in a patient with diabetes mellitus. *Singapore Medical Journal*, 45 (4), 480- 482.

Sievenpiper, J. L., Arnason, J. T., Leiter, L. A. and Vuksan, V. (2003). Variable effects of American Ginseng: a batch of American Ginseng (*Panax quinquefolius L.*) with a depressed ginsenoside profile does not affect postprandial glycemia. *European Journal of Clinical Nutrition* [online], 57, 243–248.

Sievenpiper, J. L., Arnason, J. T., Vidgen, E., Leiter, L. A. and Vuksan, V. (2004). A Systematic Quantitative Analysis of the Literature of the High Variability in Ginseng (*Panax* species). *Diabetes care*, 27 (3), 839-840.

Sluijs, I., Beulens, J.W.J., van der A, D.L., Spijkerman, A.M.W., Grobbee, D.E., and van der Schouw. Y.T. (2010). Dietary Intake of Total, Animal, and Vegetable Protein and Risk of Type 2

Diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-NL Study. *Diabetes Care*, 33 (1), 43- 48.

Sobenin, I. A., Nedosugova, L. V., Filatova, L. V., Balabolkin, M. I., Gorchakova, T. V. And Orekhov, A. N. (2008). Metabolic effects of time-released garlic powder tablets in type 2 diabetes mellitus: the results of double-blinded placebo-controlled study. *Acta diabetologica*, 45, 1-6.

Sotaniemi, E. A., Haapakoski, E. And Rautio, A. (1995). Ginseng therapy in non-insulin-dependent diabetic patients: effects on psychosocial performance, glucose homeostasis, serum lipids, serum aminoterminalpropeptide concentration, and body weight. *Diabetes care*, 18(10), 1373- 1375.

Tao, M., McDowell, M. A., Saydah, S. H. and Eberhardt, M. S. (2008). Relationship of Polyunsaturated Fatty Acid Intake to Peripheral Neuropathy Among Adults With Diabetes in the National Health and Nutrition Examination Survey (NHANES) 1999–2004. *Diabetes Care*, 31(1), 93-95.

Tessari, P. , Cecchet, D., Cosma, A., Vettore, M., Coracina, A., Million, R., Iori, E., Puricelli, L., Avogaro, A., Vedovato, M. (2010). Nitric oxide synthesis is reduced in subjects with type 2 diabetes and nephropathy. *Diabetes*, 59 (9), 2152- 2159.

Thomas, D. and Elliott, E.J. (2009) Low glycaemic index, or low glycaemic load, diets for diabetes mellitus (Review). *The Cochrane Collaboration* [Online].

Vanschoonbeek, K., Thomassen, B.L., Senden, J.M., Wodzig, W.K. and van Loon, L.J. (2006). Cinnamon supplementation does not improve glycemic control in postmenopausal type 2 diabetes patients. *Journal of Nutrition* [Online], 136, 977–80.

Vuksan. V., Sievenpiper. J.L., Vyy, K., Francis, T., Beljan-Zdravkovic, U., Xu, Z. And Vidgen E (2000a). American ginseng reduces postprandial glycemia in nondiabetic and diabetic individuals. *Arch Intern Medicine*, 160, 1009–1013.

Vuksan, V., Stavro, M.P., Sievenpiper, J. L., Beljan-zdravkovic, U., Leiter, L. A., Josse, R. G., Xu, Z. (2000b). Similar Postprandial Glycemic Reductions with Escalation of Dose and Administration Time of American Ginseng in Type 2 Diabetes. *Diabetes care*, 23, 1221- 1226.

Westman, W. C., Yancy, W. S., Mavropoulos, J. C., Marquart, M. and McDuffie, J. R. (2008). The effect of a low-carbohydrate, ketogenic diet versus a low-glycemic index diet on glycemic control in type 2 diabetes mellitus. *Nutrition & Metabolism* [online], 5, 1-9.

WHO, 2010. Benchmarks for Training in Traditional/ Complementary and Alternate Medicine: Benchmarks for Training in Naturopathy.

Willet, W, Manson, J. and Liu, S. (2002). Glycemic index, glycemic load, and risk of type 2 diabetes. *American Journal of Clinical Nutrition* [online], 76 (1), 274S-280S.

Wolever, T. M. S., Gibbs, A. L., Mehling, M., Chiasson, J. L., Connelly, P. W., Josse, R. G., Leiter, L. A., Maheux, P., Rabasa-Lhoret, R., Rodger, N. W. and Ryan, E. A. (2008). The Canadian Trial of Carbohydrates in Diabetes (CCD), a 1-y controlled trial of low-glycemic-index dietary carbohydrate in type 2 diabetes: no effect on glycosylated hemoglobin but reduction in C-reactive protein. *American Journal of Clinical Nutrition* [Online], 87, 114- 125.

Yeh, G.Y., Kaptchuk, T.J., Eisenburgh, D.M. and Philips, R.S (2003). Systematic Review of Herbs and Dietary Supplements for Glycaemic Control in Diabetes. *Diabetes Care*, 26 (4), 1277-1294.

Zhang, B.B., Zhou, G. and Li, C. (2009). AMPK: An Emerging Drug Target for Diabetes and the Metabolic Syndrome. *Cell Metabolism*, 9(5), 407-416.

Mowla, A., Alauddin, M., Rahman, A. and Ahmed, K (2009). Antihyperglycemic effect of *Trigonella foenum-graecum* (Fenugreek) seed extract in Alloxan-induced diabetic rats and its use in Diabetes mellitus: A brief qualitative phytochemical and acute toxicity test on the extract. *African Journal of Traditional, Complementary and Alternative medicines*, 6 (3), 255-261.