

REFERENCES

- Ackerman, P. L. (1988). Determinants of Individual Differences During Skill Acquisition: Cognitive Abilities and Information Processing. *Journal of Experimental Psychology: General*, *117*(3), 288–318.
- Al-Zahrani, M. A., & Elsayed, Y. A. (2009). The impacts of substance abuse and dependence on neuropsychological functions in a sample of patients from Saudi Arabia. *Behavioral and Brain Functions*, *5*(1), 48.
- Alexander, C. N., Robinson, P., & Rainforth, M. (2010). Treating and preventing alcohol, nicotine, and drug abuse through transcendental meditation: A review and statistical meta-analysis: Errata. *Alcoholism Treatment Quarterly*, *13*(4), 97.
- Allahverdipour, H., Hidarnia, A., Kazamnegad, A., Shafii, F., Fallah, P. A., & Emami, A. (2006). The status of self-control and its relation to drug abuse-related behaviors among Iranian male high school students. *Social Behavior and Personality*, *34*(4), 413–424.
- Anju, D., Anita, C., Raka, J., Deepak, Y., & Vedamurthachar. (2015). Effectiveness of yogic breathing intervention on quality of life of opioid dependent users. *International Journal of Yoga*, *8*(2), 144-147.
- Aoki, T., & Fukuoka, Y. (2010). Finger tapping ability in healthy elderly and young adults. *Medicine & Science in Sports & Exercise*, *42*(3), 449–455.
- Asakawa, A., & Sugimura, S. (2014). Developmental trajectory in the relationship between calculation skill and finger dexterity: A longitudinal study. *Japanese Psychological Research*, *56*(2), 189–200.
- Asmaee Majid, S., Seghatoleslam, T., Homan, H. A., Akhvast, A., & Habil, H. (2012). Effect of mindfulness based stress management on reduction of generalized anxiety disorder. *Iranian Journal of Public Health*, *41*(10), 24–28.
- Backman, C., Gibson, S. C. D., & Parsons, J. (1992). Assessment of Hand Function: The Relationship between Pegboard Dexterity and Applied Dexterity. *Canadian Journal of Occupational Therapy*, *59*(4), 208–213.
- Baddeley, A. (2003). Working memory: looking back and looking forward. *Nature Reviews Neuroscience*, *4*, 829–839.
- Barbour, K. A., Edenfield, T. M., & Blumenthal, J. A. (2007). Exercise as a Treatment for Depression and Other Psychiatric Disorders. *Journal of Cardiopulmonary Rehabilitation and Prevention*, *27*(6), 359–367.
- Barnes, J. N. (2015). Exercise, cognitive function, and aging. *Advances in Physiology Education*, *39*(2), 55–62.
- Battjes, R. J., Gordon, M. S., O’Grady, K. E., Kinlock, T. W., Katz, E. C., & Sears, E. A. (2004). Evaluation of a group-based substance abuse treatment program for adolescents. *Journal of Substance Abuse Treatment*, *27*(2), 123–134.

- Bechara, A., & Martin, E. M. (2004). Impaired Decision Making Related to Working Memory Deficits in Individuals with Substance Addictions. *Neuropsychology, 18*(1), 152–162.
- Becker, S. J., & Curry, J. F. (2007). Interactive effect of substance abuse and depression on adolescent social competence. *Journal of Clinical Child and Adolescent Psychology, 36*(3), 469–475.
- Berg, C. J., Thomas, J. L., An, L. C., Guo, H., Collins, T., Okuyemi, K. S., & Ahluwalia, J. S. (2012). Change in Smoking, Diet, and Walking for Exercise in Blacks. *Health Education & Behavior, 39*(2), 191–197.
- Berndt, N. C., Hayes, A. F., Verboon, P., Lechner, L., Bolman, C., & De Vries, H. (2013). Self-efficacy mediates the impact of craving on smoking abstinence in low to moderately anxious patients: results of a moderated mediation approach. *Journal of the Society of Psychologists in Addictive Behaviors, 27*(1), 113–24.
- Bock, B. C., Fava, J. L., Gaskins, R., Morrow, K. M., Williams, D. M., Jennings, E., Marcus, B. H. (2012). Yoga as a complementary treatment for smoking cessation in women. *Journal of Women's Health, 21*(2), 240–8.
- Bowen, S., Chawla, N., Collins, S. E., Witkiewitz, K., Hsu, S., Grow, J., Marlatt, A. (2009). Mindfulness-based relapse prevention for substance use disorders: A pilot efficacy trial. *Substance Abuse, 30*(4), 295–305.
- Bowen, S., Witkiewitz, K., Clifasefi, S. L., Grow, J., Chawla, N., Hsu, S. H., Larimer, M. E. (2014). Relative efficacy of mindfulness-based relapse prevention, standard relapse prevention, and treatment as usual for substance use disorders: A randomized clinical trial. *The Journal of the American Medical Association, 71*(5), 547–556.
- Bowen, S., Witkiewitz, K., Dillworth, T. M., Chawla, N., Simpson, T. L., Ostafin, B. D., Marlatt, G. A. (2006). Mindfulness meditation and substance use in an incarcerated population. *Psychology of Addictive Behaviors, 20*(3), 343–347.
- Brewer, J. A., Sinha, R., Chen, J. A., Michalsen, R. N., Babuscio, T. A., Nich, C., Rounsaville, B. J. (2009). Mindfulness training and stress reactivity in substance abuse: Results from a randomized, controlled stage I pilot study. *Substance Abuse, 30*(4), 306–317.
- Britton, W. B., Bootzin, R. R., Cousins, J. C., Hasler, B. P., Peck, T., & Shapiro, S. L. (2010). The contribution of mindfulness practice to a multicomponent behavioral sleep intervention following substance abuse treatment in adolescents: A treatment-development study. *Substance Abuse, 31*(2), 86–97.
- Brown, K. W., Ryan, R. M., & Creswell, J. D. (2007). Mindfulness: Theoretical foundations and evidence for its salutary effects. *Psychological Inquiry, 18*(4), 211–237.

- Brown, R. A., Abrantes, A. M., Read, J. P., Marcus, B. H., Jakicic, J., Strong, D. R., Gordon, A. A. (2010). A pilot study of aerobic exercise as an adjunctive treatment for drug dependence. *Mental Health and Physical Activity*, 3(1), 27–34.
- Brownell, K. D., Marlatt, G. A, Lichtenstein, E., & Wilson, G. T. (1986). Understanding and preventing relapse. *The American Psychologist*, 41, 765–782.
- Burke, C. K., Peirce, J. M., Kidorf, M. S., Neubauer, D., Punjabi, N. M., Stoller, K. B., Brooner, R. K. (2008). Sleep problems reported by patients entering opioid agonist treatment. *Journal of Substance Abuse Treatment*, 35(3), 328–333.
- Cadet, J. L. (2016). Epigenetics of Stress, Addiction, and Resilience: Therapeutic Implications. *Molecular Neurobiology*, 53(1), 545–560.
- Cadore, E. L., Rodríguez-Mañas, L., Sinclair, A., & Izquierdo, M. (2013). Effects of Different Exercise Interventions on Risk of Falls, Gait Ability, and Balance in Physically Frail Older Adults: A Systematic Review. *Rejuvenation Research*, 16(2), 105–114.
- Casden, D. R. (2005). The effects of Ashtanga yoga on autonomic, respiratory and cognitive functioning; psychological symptoms and somatic complaints: A controlled study. *Science Index*, 66(3), 116–124.
- Chaiken, S. R., Kyllonen, P. C., & Tirre, W. C. (2000). Organization and Components of Psychomotor Ability. *Cognitive Psychology*, 40(3), 198–226.
- Chattha, R., Nagarathna, R., Padmalatha, V., & Nagendra, H. R. (2008). Effect of yoga on cognitive functions in climacteric syndrome: A randomised control study. *An International Journal of Obstetrics and Gynaecology*, 115(8), 991–1000.
- Chavez, E. L., Trautt, G. M., Brandon, A., & Steyaert, J. (1983). Effects of test anxiety and sex of subject on neuropsychological test performance: Finger Tapping, Trail Making, Digit Span and Digit Symbol tests. *Perceptual and Motor Skills*, 56, 923–929.
- Chokroverty, S. (2010). Overview of sleep & sleep disorders. *The Indian Journal of Medical Research*, 131(2), 126–140.
- Cohen, J. (1988). The Effect Size index. *Statistical Power Analysis for the Behavioral Sciences* (2nd ed.). Hillsdale, N.J. : L. Erlbaum Associates.
- Collingwood, T. R., Sunderlin, J., Reynolds, R., & Kohl, H. W.(2000). Physical training as a substance abuse prevention intervention for youth. *Journal of Drug Education*, 30(4), 435–451.
- Compton, W. M., Thomas, Y. F., Stinson, F. S., & Grant, B. F. (2007). Prevalence, Correlates, Disability, and Comorbidity of DSM-IV Drug Abuse and Dependence in the United States. *Archives of General Psychiatry*, 64(5), 566–576.
- Conroy, D. A., & Arnedt, J. T. (2014). Sleep and substance use disorders: An update.

Current Psychiatry Reports, 16(10), 487–496.

- Cousins, J. C., Bootzin, R. R., Stevens, S. J., Ruiz, B. S., & Haynes, P. L. (2007). Parental involvement, psychological distress, and sleep: A preliminary examination in sleep-disturbed adolescents with a history of substance abuse. *Journal of Family Psychology*, 21(1), 104–113.
- Da Silva, F. N., Irani, F., Richard, J., Brensinger, C. M., Bilker, W. B., Gur, R. E., & Gur, R. C. (2012). More than just tapping: Index finger-tapping measures procedural learning in schizophrenia. *Schizophrenia Research*, 137(1–3), 234–240.
- Dalgas, U., Stenager, E., Jakobsen, J., Petersen, T., Hansen, H. J., Knudsen, C., Ingemann-Hansen, T. (2009). Resistance training improves muscle strength and functional capacity in multiple sclerosis. *Neurology*, 73(18), 1478–1484.
- Dash, M., & Telles, S. (1999). Yoga training and motor speed based on a finger tapping task. *Indian Journal of Physiology and Pharmacology*, 43(4), 458–462.
- Davis, J. M., Manley, A. R., Goldberg, S. B., Smith, S. S., & Jorenby, D. E. (2014). Randomized trial comparing mindfulness training for smokers to a matched control. *Journal of Substance Abuse Treatment*, 47(3), 213–221.
- Davis, L., Uezato, A., Newell, J. M., & Frazier, E. (2008). Major depression and comorbid substance use disorders. *Current Opinion in Psychiatry*, 21(1), 14–18.
- Deutch, J. A., & Deutch, D. (1963). Attention: Some theoretical considerations. *Psychological Review*, 70(1), 80–90.
- Dixit, A., Goyal, A., Thawani, R., & Vaney, N. (2012). Effect of caffeine on information processing: evidence from stroop task. *Indian Journal of Psychological Medicine*, 34(3), 218–222.
- Dolan, S. L., Bechara, A., & Nathan, P. E. (2008). Executive dysfunction as a risk marker for substance abuse: The role of impulsive personality traits. *Behavioral Sciences and the Law*, 26(6), 799–822.
- Domínguez-Salas, S., Díaz-Batanero, C., Lozano-Rojas, O. M., & Verdejo-García, A. (2016). Impact of general cognition and executive function deficits on addiction treatment outcomes: Systematic review and discussion of neurocognitive pathways. *Neuroscience & Biobehavioral Reviews*, 71, 772–801.
- Elibero, A., Janse Van Rensburg, K., & Drobles, D. J. (2011). Acute effects of aerobic exercise and Hatha yoga on craving to smoke. *Journal of the Society for Research on Nicotine and Tobacco*, 13(11), 1140–1148.
- Erickson, K. I., Voss, M. W., Prakash, R. S., Basak, C., Szabo, A., Chaddock, L., Kramer, A. F. (2011). Exercise training increases size of hippocampus and improves memory. *Proceedings of the National Academy of Sciences*, 108(7), 3017–3022.

- Fang, R., & Li, X. (2015). A regular yoga intervention for staff nurse sleep quality and work stress: a randomised controlled trial. *Journal of Clinical Nursing, 24*(23), 3374–3379.
- Field, T., Diego, M., & Sanders, C. E. (2001). Exercise is positively related to adolescents' relationships and academics. *Adolescence, 36*(141), 104–110.
- Filbey, F. M., McQueeney, T., Kadamangudi, S., Bice, C., & Ketcherside, A. (2015). Combined effects of marijuana and nicotine on memory performance and hippocampal volume. *Behavioural Brain Research, 293*, 46–53.
- Fishbein, D., Miller, S., Herman-Stahl, M., Williams, J., Lavery, B., Markovitz, L., Johnson, M. (2016). Behavioral and Psychophysiological Effects of a Yoga Intervention on High-Risk Adolescents: A Randomized Control Trial. *Journal of Child and Family Studies, 25*(2), 518–529.
- Friese, M., Messner, C., & Schaffner, Y. (2012). Mindfulness meditation counteracts self-control depletion. *Consciousness and Cognition, 21*(2), 1016–1022.
- Froeliger, B. E., Garland, E. L., Modlin, L. A., & McClernon, F. J. (2012). Neurocognitive correlates of the effects of yoga meditation practice on emotion and cognition: A pilot study. *Frontiers in Integrative Neuroscience, 6*(48), 1–11.
- Fucito, L. M., DeMartini, K. S., Hanrahan, T. H., Whittemore, R., Yaggi, H. K., & Redeker, N. S. (2015). Perceptions of heavy-drinking college students about a sleep and alcohol health intervention. *Behavioral Sleep Medicine, 13*(5), 395–411.
- Garland, E. L., Boettiger, C. A., Gaylord, S., Chanon, V. W., & Howard, M. O. (2012). Mindfulness is inversely associated with alcohol attentional bias among recovering alcohol-dependent adults. *Cognitive Therapy and Research, 36*(5), 441–450.
- Garland, E. L., Gaylord, S. A., Boettiger, C. A., & Howard, M. O. (2010). Mindfulness training modifies cognitive, affective, and physiological mechanisms implicated in alcohol dependence: Results of a randomized controlled pilot trial. *Journal of Psychoactive Drugs, 42*(2), 177–192.
- Garland, E. L., Roberts-Lewis, A., Tronnier, C. D., Graves, R., & Kelley, K. (2016). “Mindfulness-oriented recovery enhancement versus CBT for co-occurring substance dependence, traumatic stress, and psychiatric disorders: Proximal outcomes from a pragmatic randomized trial.” *Behaviour Research and Therapy, 77*, 7–16.
- Glasner-Edwards, S., Mooney, L. J., Ang, A., Garneau, H. C., Hartwell, E., Brecht, M.-L., & Rawson, R. A. (2017). Mindfulness Based Relapse Prevention for Stimulant Dependent Adults: A Pilot Randomized Clinical Trial. *Mindfulness, 8*(1), 126–135.
- Golden, C. J. (1978). Stroop Color and Word Test: *A manual for clinical and experimental uses*. Chicago: Stoelting.
- Goldstein, E. B. (1996). Sensation and Perception. *Cognitive Neuroscience The Biology*

of Mind (4th ed.). Belmont, California: Cole Publishing Co.

- Gothe, N. P., Keswani, R. K., & McAuley, E. (2016). Yoga practice improves executive function by attenuating stress levels. *Biological Psychology, 121*, 109–116.
- Gothe, N. P., Kramer, A. F., & McAuley, E. (2014). The Effects of an 8-Week Hatha Yoga Intervention on Executive Function in Older Adults. *The Journals of Gerontology Series A: Biological Sciences and Medical Sciences, 69*(9), 1109–1116.
- Government of Nepal, Central. Bureau. of statistics. (2013). *Survey Report on Current Hard Drug Users in Nepal – 2069*. Kathmandu.
- Govindaraj, R., Karmani, S., Varambally, S., & Gangadhar, B. N. (2016). Yoga and physical exercise – A review and comparison. *International Review of Psychiatry, 28*(3), 242–253.
- Guardia, J., Caso, C., Arias, F., Gual, A., Sanahuja, J., Ramírez, M., Casas, M. (2002). A double-blind, placebo-controlled study of naltrexone in the treatment of alcohol-dependence disorder: results from a multicenter clinical trial. *Alcoholism, Clinical and Experimental Research, 26*(9), 1381–1387.
- Hagins, M., Haden, S. C., & Daly, L. A. (2013). A randomized controlled trial on the effects of yoga on stress reactivity in 6th grade students. *Evidence-Based Complementary and Alternative Medicine, 1–9*.
- Hallgren, M., Romberg, K., Bakshi, A.-S., & Andreasson, S. (2014). Yoga as an adjunct treatment for alcohol dependence: a pilot study. *Complementary Therapies in Medicine, 22*(3), 441–445.
- Hariprasad, V. R., Koparde, V., Sivakumar, P. T., Varambally, S., Thirthalli, J., Varghese, M., Gangadhar, B. N. (2013). Randomized clinical trial of yoga-based intervention in residents from elderly homes: Effects on cognitive function. *Indian J Psychiatry, 55*(3), 357–63.
- Hariprasad, V. R., Varambally, S., Shivakumar, V., Kalmady, S. V, Venkatasubramanian, G., & Gangadhar, B. N. (2013). Yoga increases the volume of the hippocampus in elderly subjects. *Indian J Psychiatry, 55*(3), 394–396.
- Hays, R., & Stewart, A. (1992). Sleep Scale from the Medical Outcomes Study. In *Sleep measures* (pp. 235–259). Durham, NC: Duke University Press.
- Helmes, E., & Ward, B. G. (2017). Mindfulness-based cognitive therapy for anxiety symptoms in older adults in residential care. *Aging & Mental Health, 21*(3), 272–278.
- Henchoz, Y., Dupuis, M., Deline, S., Studer, J., Baggio, S., N’Goran, A. A., Gmel, G. (2014). Associations of physical activity and sport and exercise with at-risk substance use in young men: A longitudinal study. *Preventive Medicine, 64*, 27–

- Hillman, C. H., Motl, R. W., Pontifex, M. B., Posthuma, D., Stubbe, J. H., Boomsma, D. I., & de Geus, E. J. C. (2006). Physical activity and cognitive function in a cross-section of younger and older community-dwelling individuals. *Health Psychology, 25*(6), 678–687.
- Hogan, M., Kiefer, M., Kubesch, S., Collins, P., Kilmartin, L., & Brosnan, M. (2013). The interactive effects of physical fitness and acute aerobic exercise on electrophysiological coherence and cognitive performance in adolescents. *Experimental Brain Research, 229*(1), 85–96.
- Horn, K., Dino, G., Branstetter, S. A, Zhang, J., Noerachmanto, N., Jarrett, T., & Taylor, M. (2011). Effects of physical activity on teen smoking cessation. *Pediatrics, 128*(4), 801–11.
- Houx, P. J., Jolles, J., & Vreeling, F. W. (1993). Stroop interference: aging effects assessed with the Stroop Color-Word Test. *Experimental Aging Research, 19*(3), 209–224.
- Hu, J.-P., Guo, Y.-H., Wang, F., Zhao, X.-P., Zhang, Q.-H., & Song, Q. H. (2014). Exercise improves cognitive function in aging patients. *International Journal of Clinical and Experimental Medicine, 7*(10), 3144–9.
- Imani, S., Atef Vahid, M. K., Gharraee, B., Noroozi, A., Habibi, M., & Bowen, S. (2015). Effectiveness of mindfulness-based group therapy compared to the usual opioid dependence treatment. *Iranian Journal of Psychiatry, 10*(3), 175–184.
- Iranshahri, B., & Jenaabadi, H. (2015). The Effectiveness of Mindfulness Therapy in Controlling under Treatment Addicts' Drug Cravings. *Open Journal of Medical Psychology, 4*(4), 88–98.
- Kavanagh, J. J., Wedderburn-Bisshop, J., & Keogh, J. W. L. (2016). Resistance training reduces force tremor and improves manual dexterity in older individuals with essential tremor. *Journal of Motor Behavior, 48*(1), 20–30.
- Khalsa, S. B. S. (2004). Treatment of chronic insomnia with yoga: A preliminary study with sleep-wake diaries. *Applied Psychophysiology Biofeedback, 29*(4), 269–278.
- Khalsa, S. B. S., Hickey-Schultz, L., Cohen, D., Steiner, N., & Cope, S. (2012). Evaluation of the mental health benefits of yoga in a secondary school: a preliminary randomized controlled trial. *The Journal of Behavioral Health Services & Research, 39*(1), 80–90.
- Khalsa, S. B. S., Khalsa, G. S., Khalsa, H. K., & Khalsa, M. K. (2008a). Evaluation of a residential Kundalini Yoga lifestyle pilot program for addiction in India. *Journal of Ethnicity in Substance Abuse, 7*(1), 67–79.
- Khalsa, S. B. S., Khalsa, G. S., Khalsa, H. K., & Khalsa, M. K. (2008b). Evaluation of a Residential Kundalini Yoga Lifestyle Pilot Program for Addiction in India. *Journal*

of Ethnicity in Substance Abuse, 7(1), 67–79.

- Khanna, S., & Greeson, J. M. (2013). A narrative review of yoga and mindfulness as complementary therapies for addiction. *Complementary Therapies in Medicine*, 21(3), 244–252.
- Kirkcaldy, B. D., Shephard, R. J., & Siefen, R. G. (2002). The relationship between physical activity and self-image and problem behaviour among adolescents. *Social Psychiatry and Psychiatric Epidemiology*, 37(11), 544–550.
- Kjaer, T. W., Bertelsen, C., Piccini, P., Brooks, D., Alving, J., & Lou, H. C. (2002). Increased dopamine tone during meditation-induced change of consciousness. *Cognitive Brain Research*, 13(2), 255–259.
- Kornatz, K. W. (2005). Practice reduces motor unit discharge variability in a hand muscle and improves manual dexterity in old adults. *Journal of Applied Physiology*, 98(6), 2072–2080.
- Koszycki, D., Thake, J., Mavounza, C., Daoust, J.-P., Taljaard, M., & Bradwejn, J. (2016). Preliminary Investigation of a Mindfulness-Based Intervention for Social Anxiety Disorder That Integrates Compassion Meditation and Mindful Exposure. *The Journal of Alternative and Complementary Medicine*, 22(5), 363–374.
- Kubitz, K. A., & Landers, D. M. (1993). The effects of aerobic training on cardiovascular responses to mental stress: An examination of underlying mechanisms. *Journal of Sport & Exercise Psychology*, 15(3), 326–337.
- Kübler, A., Murphy, K., & Garavan, H. (2005). Cocaine dependence and attention switching within and between verbal and visuospatial working memory. *European Journal of Neuroscience*, 21(7), 1984–1992.
- Kulaif, T., & Valle, L. E. R. (2008). Alternative to the Stroop Color-Word Test for illiterate individuals. *The Clinical Neuropsychologist*, 22(1), 73–83.
- Kulig, K., Brener, N. D., & McManus, T. (2003). Sexual Activity and Substance Use Among Adolescents by Category of Physical Activity Plus Team Sports Participation. *Archives of Pediatrics & Adolescent Medicine*, 157(9), 905.
- Kumar, S., & Telles, S. (2009). Meditative states based on yoga texts and their effects on performance of a letter-cancellation task. *Perceptual and Motor Skills*, 109(3), 679–89.
- Kwok, J. Y. Y., Choi, K. C., & Chan, H. Y. L. (2016). Effects of mind–body exercises on the physiological and psychosocial well-being of individuals with Parkinson’s disease: A systematic review and meta-analysis. *Complementary Therapies in Medicine*, 29, 121–131.
- Lakkireddy, D., Atkins, D., Pillarisetti, J., Ryschon, K., Bommana, S., Drisko, J., Dawn, B. (2013). Effect of yoga on arrhythmia burden, anxiety, depression, and quality of life in paroxysmal atrial fibrillation: The yoga my heart study. *Journal of the*

American College of Cardiology, 61(11), 1177–1182.

- Lee, H., & Kim, Y. (2014). Effects of an Obesity Intervention Integrating Physical Activity and Psychological Strategy on BMI, Physical Activity, and Psychological Variables in Male Obese Adolescents. *Behavioral Medicine*, 41(4), 195–202.
- Leigh, J., Bowen, S., & Marlatt, G. A. (2005). Spirituality, mindfulness and substance abuse. *Addictive Behaviors*, 30(7), 1335–1341.
- Lezak, M. D., Howieson, D. B., Bigler, E. D., & Tranel, D. (2012). *Neuropsychological Assessment* (5th ed.). New York, NY, US: Oxford University Press.
- Loprinzi, P. D., & Kane, C. J. (2015). Exercise and cognitive function: A randomized controlled trial examining acute exercise and free-living physical activity and sedentary effects. *Mayo Clinic Proceedings*, 90(4), 450–460. h
- Lucas, S. J. E., Anson, J. G., Palmer, C. D., Hellems, I. J., & Cotter, J. D. (2009). The impact of 100 hours of exercise and sleep deprivation on cognitive function and physical capacities. *Journal of Sports Sciences*, 27(7), 719–728.
- Luft, C. D. B., Takase, E., & Darby, D. (2009). Heart rate variability and cognitive function: Effects of physical effort. *Biological Psychology*, 82(2), 196–201.
- Lundergan, W. P., Soderstrom, E. J., & Chambers, D. W. (2007). Tweezer Dexterity Aptitude of Dental Students. *Journal of Dental Education*, 71(8), 1090–1097.
- Magnan, R. E., Kwan, B. M., & Bryan, A. D. (2013). Effects of current physical activity on affective response to exercise: physical and social-cognitive mechanisms. *Psychology & Health*, 28(4), 418–33.
- Maisto, S. a, Connors, G. J., & Zywiak, W. H. (2000). Alcohol treatment, changes in coping skills, self-efficacy, and levels of alcohol use and related problems 1 year following treatment initiation. *Psychology of Addictive Behaviors: Journal of the Society of Psychologists in Addictive Behaviors*, 14(3), 257–266.
- Malouf, E., Stuewig, J., & Tangney, J. (2012). Self-control and jail inmates' substance misuse post-release: Mediation by friends' substance use and moderation by age. *Addictive Behaviors*, 37(11), 1198–1204.
- Manjunath, N. K., & Telles, S. (1999). Factors influencing changes in tweezer dexterity scores following yoga training. *Indian Journal of Physiology and Pharmacology*, 43(2), 225–229.
- Martinsen, M., & Sundgot-Borgen, J. (2014). Adolescent elite athletes' cigarette smoking, use of snus, and alcohol. *Scandinavian Journal of Medicine and Science in Sports*, 24(2), 439–446.
- McCann, U. D., Wong, D. F., Yokoi, F., Villemagne, V., Dannals, R. F., & Ricaurte, G. A. (1998). Reduced striatal dopamine transporter density in abstinent

- methamphetamine and methcathinone users: evidence from positron emission tomography studies with [11C]WIN-35,428. *The Journal of Neuroscience*, 18(20), 8417–8422.
- Miller, W. R., & Wilbourne, P. L. (2002). Mesa Grande: A methodological analysis of clinical trials of treatments for alcohol use disorders. *Addiction*, 97(3), 265-277.
- Mills, E. M. (1994). The effect of low-intensity aerobic exercises on muscle strength, flexibility, and balance among sedentary elderly persons. *Nursing Research*, 43(7), 207–211.
- Mishra, V. K., Mishra, N., & K.V, D. K. (2016). Effect of yoga package on performance of Digit letter substitution test and Six letter cancellation test in early and adolescent. *World Journal of Pharmacy and Pharmaceutical Sciences*, 5(5), 98–104.
- Mitchell, M. R., Balodis, I. M., Devito, E. E., Lacadie, C. M., Yeston, J., Scheinost, D., Potenza, M. N. (2013). A preliminary investigation of Stroop-related intrinsic connectivity in cocaine dependence: associations with treatment outcomes. *The American Journal of Drug and Alcohol Abuse*, 39(6), 392–402.
- Moore, A., & Malinowski, P. (2009). Meditation, mindfulness and cognitive flexibility. *Consciousness and Cognition*, 18(1), 176–186.
- Mostofsky, S. H., & Simmonds, D. J. (2008). Response inhibition and response selection: Two sides of the same coin. *Journal of Cognitive Neuroscience*, 20(5), 751–761.
- Muraven, M., & Shmueli, D. (2006). The self-control costs of fighting the temptation to drink. *Journal of the Society of Psychologists in Addictive Behaviors*, 20(2), 154–60.
- Murthy, S. K. R. (2002). *Bhavaprakasa Madatyayadhikara* (2nd ed.). Vanarasi: Krishna Das academy.
- Murthy, S. K. R. (2005). *Madhava Nidhana Roga Vinisccaya* (7th ed.). Vanarasi: Chaukhambha Orientalia.
- Murthy, S. K. R. (2006). *Astanga Hridayanam Nidanasthanam* (27th ed.). Vanarasi: Chaukhambha Orientalia.
- Murthy, S. K. R. (2010). *Astanga Hridayanam Chikishasthanam* (7th ed.). Vanarasi: Chaukhambha Orientalia.
- Nabkasorn, C., Miyai, N., Sootmongkol, A., Junprasert, S., Yamamoto, H., Arita, M., & Miyashita, K. (2006). Effects of physical exercise on depression, neuroendocrine stress hormones and physiological fitness in adolescent females with depressive symptoms. *European Journal of Public Health*, 16(2), 179–184.
- Natu, M. V., & Agarwal, A. K. (1997). Testing of stimulant effects of coffee on the

- psychomotor performance: an exercise in clinical pharmacology. *Indian Journal of Pharmacology*, 29(1), 11–14.
- Nishiguchi, S., Yamada, M., Tanigawa, T., Sekiyama, K., Kawagoe, T., Suzuki, M., Tsuboyama, T. (2015). A 12-week physical and cognitive exercise program can improve cognitive function and neural efficiency in community-dwelling older adults: A randomized controlled trial. *Journal of the American Geriatrics Society*, 63(7), 1355–1363.
- Nitin Gosewade, Vinod Shende, Chhaya, A. D. (2015). Original article effect of pranamaya and eye exercise on eye to hand. *Journal of Evidence Based Medicine and Healthcare*, 2(42), 7400–7406.
- Nuttbrock, L., Bockting, W., Rosenblum, A., Hwahng, S., Mason, M., Macri, M., & Becker, J. (2014). Gender abuse, depressive symptoms, and substance use among transgender women: A 3-year prospective study. *American Journal of Public Health*, 104(11), 2199–2206.
- Oaten, M., & Cheng, K. (2006). Longitudinal gains in self-regulation from regular physical exercise. *British Journal of Health Psychology*, 11(4), 717–733.
- Oken, B. S., Zajdel, D., Kishiyama, S., Flegal, K., Dehen, C., Haas, M., Leyva, J. (2006). Randomized, controlled, six-month trial of yoga in healthy seniors: Effects on cognition and quality of life. *Alternative Therapies in Health and Medicine*, 12(1), 40–47.
- Parsons, O. A. (1998). Neurocognitive Deficits in Alcoholics and Social Drinkers: A Continuum? *Alcoholism: Clinical and Experimental Research*, 22(4), 954–961.
- Patra, S., & Telles, S. (2009). Positive impact of cyclic meditation on subsequent sleep. *International Medical Journal of Experimental and Clinical Research*, 15(7), 375–381.
- Patra, S., & Telles, S. (2010). Heart rate variability during sleep following the practice of cyclic meditation and supine rest. *Applied Psychophysiology and Biofeedback*, 35(2), 135–40.
- Petruzzello, S. J., Landers, D. M., Hatfield, B. D., Kubitz, K. A., & Salazar, W. (1991). A Meta-Analysis on the Anxiety-Reducing Effects of Acute and Chronic Exercise: Outcomes and Mechanisms. *Sports Medicine*, 11(3), 143–182.
- Pokhrel, P., Herzog, T. A., Sun, P., Rohrbach, L. A., & Sussman, S. (2013). Acculturation, Social Self-Control, and Substance Use Among Hispanic Adolescents. *Psychology of Addictive Behaviors*, 27(3), 674–686.
- Pradhan, B. (2013). Effect of kapalabhati on performance of six-letter cancellation and digit letter substitution task in adults. *International Journal of Yoga*, 6(2), 128–30.
- Pradhan, B., & Nagendra, H. (2010). Immediate effect of two yoga-based relaxation techniques on attention in children. *International Journal of Yoga*, 3(2), 67–69.

- Pradhan, B., & Nagendra, H. R. (2008). Normative data for the letter-cancellation task in school children. *International Journal of Yoga, 1*(2), 72–75.
- Prakash, R., Dubey, I., Abhishek, P., Gupta, S. K., Rastogi, P., & Siddiqui, S. V. (2010). Long-term Vihangam yoga meditation and scores on tests of attention. *Perceptual and Motor Skills, 110*(3), 1139–1148.
- Purohit, S. P., & Pradhan, B. (2017). Effect of yoga program on executive functions of adolescents dwelling in an orphan home: A randomized controlled study. *Journal of Traditional and Complementary Medicine, 7*(1), 99–105.
- Putnins, S. I., Griffin, M. L., Fitzmaurice, G. M., Dodd, D. R., & Weiss, R. D. (2012). Poor sleep at baseline predicts worse mood outcomes in patients with co-occurring bipolar disorder and substance dependence. *Journal of Clinical Psychiatry, 73*(5), 703–708.
- Quaney, B. M., Boyd, L. A., McDowd, J. M., Zahner, L. H., Jianghua He, Mayo, M. S., & MacKo, R. F. (2009). Aerobic exercise improves cognition and motor function poststroke. *Neurorehabilitation and Neural Repair, 23*(9), 879–885.
- Quoilin, C., Wilhelm, E., Maurage, P., Detimary, P., & Duque, J. (2018). Deficient inhibition in alcohol-dependence: let's consider the role of the motor system! *Neuropsychopharmacology, 43*(9), 1851–1858.
- Rabinowitz, I., & Lavner, Y. (2014). Association between finger tapping, attention, memory, and cognitive diagnosis in elderly patients. *Perceptual and Motor Skills, 119*(1), 259–78.
- Ramo, D. E., & Brown, S. A. (2008). Classes of Substance Abuse Relapse Situations: A Comparison of Adolescents and Adults. *Psychology of Addictive Behaviors, 22*(3), 372–379.
- Rao, R. M., Vadiraja, H. S., Nagaratna, R., Gopinath, K. S., Patil, S., Diwakar, R. B., Nagendra, H. R. (2017). Effect of Yoga on Sleep Quality and Neuroendocrine Immune Response in Metastatic Breast Cancer Patients. *Indian Journal of Palliative Care, 23*(3), 253–260.
- Robertson, C. L., Ishibashi, K., Chudzynski, J., Mooney, L. J., Rawson, R. A., Dolezal, B. A., London, E. D. (2016). Effect of exercise training on striatal dopamine D2/D3 receptors in methamphetamine users during behavioral treatment. *Neuropsychopharmacology, 41*(6), 1629–1636.
- Roehrs, T. A., & Roth, T. (2015). Sleep disturbance in substance use disorders. *The Psychiatric Clinics of North America, 38*(4), 793–803.
- Ruff, R. M., & Parker, S. B. (1993). Gender- and age-specific changes in motor speed and eye-hand coordination in adults: normative values for the Finger Tapping and Grooved Pegboard Tests. *Perceptual and Motor Skills, 76*(3), 1219–1230.
- Sarang, S. P., & Telles, S. (2007). Immediate effect of two yoga-based relaxation

- techniques on performance in a letter-cancellation task. *Perceptual and Motor Skills*, 105(2), 379–385.
- Seligman, M. E. P., & Csikszentmihalyi, M. (2000). Positive psychology. An introduction. *American Psychologist*, 55, 5–14.
- Shahab, L., Sarkar, B. K., & West, R. (2013). The acute effects of yogic breathing exercises on craving and withdrawal symptoms in abstaining smokers. *Psychopharmacology*, 225(4), 875–882.
- Sharma, N. R., Yadava, A., & Hooda, D. (2005). Effect of yoga on psycho-physical functions. *Journal of Indian Psychology*, 23(1), 37–42.
- Sharma, P. V. (2004). *Charak Samitha Sikitsästhänäm* (6th ed.). Varanasi: Chaukhambha Orientalia.
- Sharma, P. V. (2010). *Susrutha Samhitha Utrratnatra* (3rd ed.). Vanarasi: Chaukhambha Orientalia.
- Sharma, V. K., Das, S., Mondal, S., Goswami, U., & Gandhi, A. (2006). Effect of Sahaj Yoga on neuro-cognitive functions in patients suffering from major depression. *Indian Journal of Physiology and Pharmacology*, 50(4), 375–383.
- Shrestha, N. M. (1992). Alcohol and drug abuse in Nepal. *British Journal of Addiction*, 87(9), 1241–1248.
- Silveri, M. M., Rogowska, J., McCaffrey, A., & Yurgelun-Todd, D. A. (2011). Adolescents At Risk for Alcohol Abuse Demonstrate Altered Frontal Lobe Activation During Stroop Performance. *Alcoholism: Clinical and Experimental Research*, 35(2), 218–228.
- Smith, J., Mattick, R. ., Jamadar, S. D., & Iredale, J. M. (2014). Deficits in behavioural inhibition in substance abuse and addiction: A meta-analysis. *Drug and Alcohol Dependence*, 145, 1–33.
- Stevens, S., Haynes, P. L., Ruiz, B., & Bootzin, R. R. (2007). Effects of a behavioral sleep medicine intervention on trauma symptoms in adolescents recently treated for substance abuse. *Substance Abuse*, 28(2), 21–31.
- Streeter, C. C., Terhune, D. B., Whitfield, T. H., Gruber, S., Sarid-Segal, O., Silveri, M. M., Yurgelun-Todd, D. A. (2008). Performance on the Stroop predicts treatment compliance in cocaine-dependent individuals. *Neuropsychopharmacology: Official Publication of the American College of Neuropsychopharmacology*, 33(4), 827–836.
- Subramaniam, S., & Bhatt, T. (2017). Effect of Yoga practice on reducing cognitive-motor interference for improving dynamic balance control in healthy adults. *Complementary Therapies in Medicine*, 30, 30–35.
- Subramanya, P., Telles, M. N. K., & Telles, S. (2009). Effect of yoga on tasks for

- manual and tweezer dexterity. *Journal of Indian Psychology*, 27(2), 9–12.
- Subramanya, P., & Telles, S. (2009). Effect of two yoga-based relaxation techniques on memory scores and state anxiety. *BioPsychoSocial Medicine*, 3,8.
- Sulekha, S., Thennarasu, K., Vedamurthachar, A., Raju, T. R., & Kutty, B. M. (2006). Evaluation of sleep architecture in practitioners of Sudarshan Kriya yoga and Vipassana meditation. *Sleep and Biological Rhythms*, 4(3), 207–214.
- Sullivan, E. V., Marsh, L., Mathalon, D. H., Lim, K. O., & Pfefferbaum, A. (1995). Anterior Hippocampal Volume Deficits in Nonamnesic, Aging Chronic Alcoholics. *Alcoholism: Clinical and Experimental Research*, 19(1), 110–122.
- Sullivan, E. V., Rosenbloom, M. J., & Pfefferbaum, A. (2000). Pattern of motor and cognitive deficits in detoxified alcoholic men. *Alcoholism, Clinical and Experimental Research*, 24(5), 611–621.
- Sureka, P., Govil, S., Dash, D., Dash, C., Kumar, M., & Singhal, V. (2014). Effect of Sudarshan Kriya on male prisoners with non psychotic psychiatric disorders: A randomized control trial. *Asian Journal of Psychiatry*, 12, 43–49.
- Suzuki, T., Shimada, H., Makizako, H., Doi, T., Yoshida, D., Ito, K., Kato, T. (2013). A Randomized Controlled Trial of Multicomponent Exercise in Older Adults with Mild Cognitive Impairment. *PLoS ONE*, 8(4), e61483.
- Tangney, J. P., Baumeister, R. F., & Boone, A. L. (2004). High Self-Control Predicts Good Adjustment, Less Pathology, Better Grades, and Interpersonal Success. *Journal of Personality*, 72(2), 271–324.
- Taylor-Piliae, R. E., Newell, K. A., Cherin, R., Lee, M. J., King, A. C., & Haskell, W. L. (2010). Effects of Tai Chi and Western exercise on physical and cognitive functioning in healthy community-dwelling older adults. *Journal of Aging and Physical Activity*, 18(3), 261–279.
- Tekur, P., Singphow, C., Nagendra, H. R., & Raghuram, N. (2008). Effect of Short-Term Intensive Yoga Program on Pain, Functional Disability and Spinal Flexibility in Chronic Low Back Pain: A Randomized Control Study. *The Journal of Alternative and Complementary Medicine*, 14(6), 637–644.
- Telles, S., Balkrishna, A., & Singh, N. (2012). Finger dexterity and visual discrimination following two yoga breathing practices. *International Journal of Yoga*, 5(1), 37–41.
- Telles, S., Praghuraj, P., Ghosh, A., & Nagendra, H. R. (2006). Effect of a one-month yoga training program on performance in a mirror-tracing task. *Indian Journal of Physiology and Pharmacology*, 50(2), 187–190.
- Telles, S., Singh, N., Bhardwaj, A. K., Kumar, A., & Balkrishna, A. (2013). Effect of yoga or physical exercise on physical, cognitive and emotional measures in children: a randomized controlled trial. *Child and Adolescent Psychiatry and*

Mental Health, 7(1), 37.

- Tiidus, P. M., Brown, L., Brant, A., Enns, D. L., & Bryden, P. J. (2008). Physiological, sensory, and functional measures in a model of wrist muscle injury and recovery. *Physiotherapy Canada*, 60(1), 30–39.
- Timsinha, S., Kar, S. M., & Agrawal, P. (2011). Drug abuse and alcohol consumption as a social habit in Nepal. *Medico-Legal Update*, 11(2), 42–43.
- United Nations Office on Drugs and Crime. (2015). *World Drug Report 2015*. United Nations publication, Sales No. E.15.XI.6.
- Uttl, B., & Pilkenton-Taylor, C. (2001). Letter cancellation performance across the adult life span. *The Clinical Neuropsychologist*, 15(4), 521–530.
- Varambally, S., & Gangadhar, B. N. (2012). Yoga: A spiritual practice with therapeutic value in psychiatry. *Asian Journal of Psychiatry*, 5(2), 186–189.
- Vedamurthachar, A., Janakiramaiah, N., Hegde, J. M., Shetty, T. K., Subbakrishna, D. K., Sureshbabu, S. V., & Gangadhar, B. N. (2006). Antidepressant efficacy and hormonal effects of Sudarshana Kriya Yoga (SKY) in alcohol dependent individuals. *Journal of Affective Disorders*, 94(1), 249–253.
- Verdejo-García, A., Lawrence, A. J., & Clark, L. (2008). Impulsivity as a vulnerability marker for substance-use disorders: Review of findings from high-risk research, problem gamblers and genetic association studies. *Neuroscience and Biobehavioral Reviews*, 32(4), 777–810.
- Vivekananda, R. (2005). *Practical Yoga Psychology*. Munger: Yoga publications trust.
- Volkow, N. D., Gur, R. C., Wang, G. J., Fowler, J. S., Moberg, P. J., Ding, Y. S., Logan, J. (1998). Association between decline in brain dopamine activity with age and cognitive and motor impairment in healthy individuals. *American Journal of Psychiatry*, 155(3), 344–349.
- Volkow, N. D., Logan, J., Fowler, J. S., Wang, G. J., Gur, R. C., Wong, C., Pappas, N. (2000). Association between age-related decline in brain dopamine activity and impairment in frontal and cingulate metabolism. *American Journal of Psychiatry*, 157(1), 75–80.
- Walach, H., & Schmidt, S. (2006). Measuring Mindfulness – The Freiburg Mindfulness Inventory. *Personality and Individual Differences*, 40(11), 1543–1555.
- Wang, D., Wang, Y. Y., Wang, Y. Y., Li, R., Zhou, C., D., W., C., Z. (2014). Impact of physical exercise on substance use disorders: A meta-analysis. *PLoS One*, 9(10), e110728.
- Weinstock, J., Barry, D., & Petry, N. M. (2008). Exercise-related activities are associated with positive outcome in contingency management treatment for substance use disorders. *Addictive Behaviors*, 33(8), 1072–1075.

- Werch, C., Moore, M., DeClemente, C. C., Owen, D. M., Jobli, E., & Bledsoe, R. (2003). A sport-based intervention for preventing alcohol use and promoting physical activity among adolescents. *Journal of School Health, 73*(10), 380–388.
- Weschler, D. (2008). Wechsler Adult Intelligence Scale - Fourth Edition.
- Wills, T. A., Ainette, M. G., Stoolmiller, M., Gibbons, F. X., & Shinar, O. (2008). Good self-control as a buffering agent for adolescent substance use: An investigation in early adolescence with time-varying covariates. *Psychology of Addictive Behaviors, 22*(4), 459–471.
- Wills, T., & Stoolmiller, M. (2002). The Role of Self-Control in Early Escalation of Substance Use: A Time-Varying Analysis. *Journal Consulting Clinical Psychology, 70*(4), 986–997.
- Wilson, J. M., Kalasinsky, K. S., Levey, A. I., Bergeron, C., Reiber, G., Anthony, R. M., Kish, S. J. (1996). Striatal dopamine nerve terminal markers in human, chronic methamphetamine users. *Nature Medicine, 2*(6), 699–703.
- Witkiewitz, K., & Bowen, S. (2010). Depression, Craving and Substance Use Following a Randomized Trial of Mindfulness-Based Relapse Prevention. *Journal of Consulting and Clinical Psychology, 78*(3), 362–374.
- Witkiewitz, K., Marlatt, G. A., & Walker, D. (2005). Mindfulness-based relapse prevention for alcohol and substance use disorders. *Journal of Cognitive Psychotherapy, 19*(3), 211–228.
- Wong, M. M., Brower, K. J., Nigg, J. T., & Zucker, R. A. (2010). Childhood sleep problems, response inhibition, and alcohol and drug outcomes in adolescence and young adulthood. *Alcoholism: Clinical and Experimental Research, 34*(6), 1033–1044.
- Woolery, A., Myers, H., Sternlieb, B., & Zeltzer, L. (2004). A yoga intervention for young adults with elevated symptoms of depression. *Alternative Therapies in Health and Medicine, 10*(2), 60–63.
- Wylie, K. P., Tanabe, J., Martin, L. F., Wongngamnit, N., & Tregellas, J. R. (2013). Nicotine increases cerebellar activity during finger tapping. *PLoS ONE, 8*(12).
- Youngstedt, S. D. (2005). Effects of exercise on sleep. *Clinics in Sports Medicine, 24*(2), 355–365.
- Zemestani, M., & Ottaviani, C. (2016). Effectiveness of Mindfulness-Based Relapse Prevention for Co-occurring Substance Use and Depression Disorders. *Mindfulness, 7*(6), 1347–1355.
- Zgierska, A; Rabago, D; Chawla, N; Kushner, K; Koehler, R; Marlatt, A. (2009). Mindfulness Meditation for Substance Use Disorders: A Systematic Review. *Substance Abuse: Official Publication of the Association for Medical Education and Research in Substance Abuse, 30*(4), 266–294.

Zigmond, A. S. S., Snaith, R. P., Herrmann, C., Buss, U., Snaith, R. P., Zigmond, A. S. S., & Snaith, R. P. (1999). Hospital Anxiety and Depression Scale. *Acta Psychiatrica Scandinavica*, *11*(6), 126–130.