

REFERENCES

REFERENCES

- Adolphs, R. (1999). Social cognition and the human brain. *Trends in Cognitive Sciences*, 3(12), 469–479.
- Aghotor, J., Pfueller, U., Moritz, S., Weisbrod, M., & Roesch-Ely, D. (2010). Metacognitive training for patients with schizophrenia (MCT): feasibility and preliminary evidence for its efficacy. *Journal of Behavior Therapy and Experimental Psychiatry*, 41(3), 207–211.
- American Psychiatric Association. (2013a). *Diagnostic and statistical manual of mental disorders* (5th ed.). Arlington, VA: American Psychiatric Publishing.
- American Psychiatric Association. (2013b). *Diagnostic and statistical manual of mental disorders* (DSM-5). Arlington: American Psychiatric Publishing.
- Amodio, D. M., & Frith, C. D. (2006). Meeting of minds: the medial frontal cortex and social cognition. *Nat Rev Neurosci*, 7(4), 268–277. Retrieved from <http://dx.doi.org/10.1038/nrn1884>
- Andreasen, N. (1984a). *Scale for the Assessment of Negative Symptoms (SANS)*. Iowa City: University of Iowa.
- Andreasen, N. (1984b). *Scale for the Assessment of Positive Symptoms (SAPS)*. Iowa City: University of Iowa.
- Anticevic, A., Van Snellenberg, J. X., Cohen, R. E., Repovs, G., Dowd, E. C., & Barch, D. M. (2010). Amygdala recruitment in schizophrenia in response to aversive emotional material: a meta-analysis of neuroimaging studies. *Schizophrenia Bulletin*, 38(3), 608–621.
- Bagewadi, V., Mehta, U. M., Thirthalli, J., & Gangadhar, B. (2014). *al Exploring Modulation of Mirror Neuron Activity with a Novel Emotionally Embedded Motor Task and its Associations with Social Cognition in Schizophrenia*. NIMHANS.
- Baron-Cohen, S., Wheelwright, S., Hill, J., Raste, Y., & Plumb, I. (2001). The “Reading the Mind in the Eyes” Test Revised Version: A Study with Normal Adults, and Adults with Asperger Syndrome or High-functioning Autism. *The Journal of Child Psychology and Psychiatry and Allied Disciplines*, 42(2), 241–251. <https://doi.org/DOI:>

10.1017/S0021963001006643

- Behere, R. V., Arasappa, R., Jagannathan, A., Varambally, S., Venkatasubramanian, G., Thirthalli, J., ... Gangadhar, B. N. (2011). Effect of yoga therapy on facial emotion recognition deficits, symptoms and functioning in patients with schizophrenia. *Acta Psychiatrica Scandinavica*, *123*(2), 147–153.
- Behere, R. V., Raghunandan, V., Venkatasubramanian, G., Subbakrishna, D. K., Jayakumar, P. N., & Gangadhar, B. N. (2008). Trends-A tool for recognition of emotions in neuropsychiatric disorders. *Indian Journal of Psychological Medicine*, *30*(1), 32.
- Belin, P., Bestelmeyer, P. E. G., Latinus, M., & Watson, R. (2011). Understanding voice perception. *British Journal of Psychology*, *102*(4), 711–725.
- Belin, P., Fecteau, S., & Bédard, C. (2004). Thinking the voice: neural correlates of voice perception. *Trends in Cognitive Sciences*, *8*(3), 129–135.
- Bentall, R. P., Corcoran, R., Howard, R., Blackwood, N., & Kinderman, P. (2001). Persecutory delusions: a review and theoretical integration. *Clinical Psychology Review*, *21*(8), 1143–1192.
- Bentin, S., Allison, T., Puce, A., Perez, E., & McCarthy, G. (1996). Electrophysiological studies of face perception in humans. *Journal of Cognitive Neuroscience*, *8*(6), 551–565.
- Bortolon, C., Capdevielle, D., & Raffard, S. (2015). Face recognition in schizophrenia disorder: A comprehensive review of behavioral, neuroimaging and neurophysiological studies. *Neuroscience & Biobehavioral Reviews*, *53*, 79–107.
- Broderick, J., Knowles, A., Chadwick, J., & Vancampfort, D. (2015). Yoga versus standard care for schizophrenia. *The Cochrane Library*.
- Brothers, L. (1990). The neural basis of primate social communication. *Motivation and Emotion*, *14*(2), 81–91.
- Brüne, M. (2005). “Theory of mind” in schizophrenia: a review of the literature. *Schizophrenia Bulletin*, *31*(1), 21–42.
- Brüne, M., Lissek, S., Fuchs, N., Witthaus, H., Peters, S., Nicolas, V., ... Tegenhoff, M. (2008). An fMRI study of theory of mind in

schizophrenic patients with “passivity” symptoms. *Neuropsychologia*, 46(7), 1992–2001.

- Carr, L., Iacoboni, M., Dubeau, M.-C., Mazziotta, J. C., & Lenzi, G. L. (2003). Neural mechanisms of empathy in humans: A relay from neural systems for imitation to limbic areas. *Proceedings of the National Academy of Sciences*, 100(9), 5497–5502. Retrieved from <http://www.pnas.org/content/100/9/5497.abstract>
- Carter, R. M., Bowling, D. L., Reeck, C., & Huettel, S. A. (2012). A distinct role of the temporal-parietal junction in predicting socially guided decisions. *Science*, 337(6090), 109–111.
- Chaiken, S., & Trope, Y. (1999). *Dual-process theories in social psychology*. Guilford Press.
- Chattha R, Nagarathna R, Padmalatha V, N. H. (2008). Effect of yoga on cognitive functions in climacteric syndrome: a randomised control study. *BJOG*. 2008 Jul; 115(8):991-1000. *BJOG*, 115(8), 991–1000.
- ChinmayaInternationalFoundation. (2012). *Holy Gita Ready Reference* (1st ed.). Mumbai: Central Chinmaya Mission Trust.
- Choi, K.-H., & Kwon, J.-H. (2006). Social cognition enhancement training for schizophrenia: a preliminary randomized controlled trial. *Community Mental Health Journal*, 42(2), 177–187.
- Combs, D. R., Adams, S. D., Penn, D. L., Roberts, D., Tiegreen, J., & Stem, P. (2007). Social Cognition and Interaction Training (SCIT) for inpatients with schizophrenia spectrum disorders: preliminary findings. *Schizophrenia Research*, 91(1), 112–116.
- Combs, D. R., Penn, D. L., Tiegreen, J. A., Nelson, A., Ledet, S. N., Basso, M. R., & Elerson, K. (2009). Stability and generalization of Social Cognition and Interaction Training (SCIT) for schizophrenia: six-month follow-up results. *Schizophrenia Research*, 112(1), 196–197.
- Combs, D. R., Penn, D. L., Wicher, M., & Waldheter, E. (2007). The Ambiguous Intentions Hostility Questionnaire (AIHQ): a new measure for evaluating hostile social-cognitive biases in paranoia. *Cognitive Neuropsychiatry*, 12(2), 128–143.
- Corbera, S., Ikezawa, S., Bell, M. D., & Wexler, B. E. (2014). Physiological evidence of a deficit to enhance the empathic response in schizophrenia.

- European Psychiatry*, 29(8), 463–472.
- Corrigan, P. W., & Green, M. F. (1993a). Schizophrenic patients' sensitivity to social cues: The role of abstraction. *The American Journal of Psychiatry*.
- Corrigan, P. W., & Green, M. F. (1993b). The Situational Feature Recognition Test: A measure of schema comprehension for schizophrenia. *International Journal of Methods in Psychiatric Research*.
- Corrigan, P. W., Wallace, C. J., & Green, M. F. (1992). Deficits in social schemata in schizophrenia. *Schizophrenia Research*, 8(2), 129–135.
- Cramer, H., Lauche, R., Langhorst, J., & Dobos, G. (2015). Are Indian yoga trials more likely to be positive than those from other countries? A systematic review of randomized controlled trials. *Contemporary Clinical Trials*, 41, 269–272.
- Darke, H., Peterman, J. S., Park, S., Sundram, S., & Carter, O. (2013). Are patients with schizophrenia impaired in processing non-emotional features of human faces? *Frontiers in Psychology*, 4.
- Delvecchio, G., Sugranyes, G., & Frangou, S. (2013). Evidence of diagnostic specificity in the neural correlates of facial affect processing in bipolar disorder and schizophrenia: a meta-analysis of functional imaging studies. *Psychological Medicine*, 43(3), 553–569.
- Di Pellegrino, G., Fadiga, L., Fogassi, L., Gallese, V., & Rizzolatti, G. (1992). Understanding motor events: a neurophysiological study. *Experimental Brain Research*, 91(1), 176–180.
- Dodell-Feder, D., Tully, L. M., Lincoln, S. H., & Hooker, C. I. (2014). The neural basis of theory of mind and its relationship to social functioning and social anhedonia in individuals with schizophrenia. *NeuroImage: Clinical*, 4, 154–163.
- Drury, V. M., Robinson, E. J., & Birchwood, M. (1998). “Theory of mind” skills during an acute episode of psychosis and following recovery. *Psychological Medicine*, 28(5), 1101–1112.
- Duraiswamy, G., Thirthalli, J., Nagendra, H. R., & Gangadhar, B. N. (2007). Yoga therapy as an add-on treatment in the management of patients with schizophrenia—a randomized controlled trial. *Acta Psychiatrica Scandinavica*, 116(3), 226–232.

- Eack, S. M., Greenwald, D. P., Hogarty, S. S., & Keshavan, M. S. (2010). One-year durability of the effects of cognitive enhancement therapy on functional outcome in early schizophrenia. *Schizophrenia Research, 120*(1), 210–216.
- Eack, S. M., Hogarty, G. E., Cho, R. Y., Prasad, K. M. R., Greenwald, D. P., Hogarty, S. S., & Keshavan, M. S. (2010). Neuroprotective effects of cognitive enhancement therapy against gray matter loss in early schizophrenia: results from a 2-year randomized controlled trial. *Archives of General Psychiatry, 67*(7), 674–682.
- Eack, S. M., Wojtalik, J. A., Newhill, C. E., Keshavan, M. S., & Phillips, M. L. (2013). Prefrontal cortical dysfunction during visual perspective-taking in schizophrenia. *Schizophrenia Research, 150*(2), 491–497.
- Enticott, P. G., Hoy, K. E., Herring, S. E., Johnston, P. J., Daskalakis, Z. J., & Fitzgerald, P. B. (2008). Reduced motor facilitation during action observation in schizophrenia: a mirror neuron deficit? *Schizophrenia Research, 102*(1), 116–121.
- Evans, J. S. B. T. (2008). Dual-processing accounts of reasoning, judgment, and social cognition. *Annu. Rev. Psychol., 59*, 255–278.
- Fairhall, S. L., & Ishai, A. (2007). Effective Connectivity within the Distributed Cortical Network for Face Perception. *Cerebral Cortex, 17*(10), 2400–2406. Retrieved from <http://dx.doi.org/10.1093/cercor/bhl148>
- Fett, A.-K. J., Viechtbauer, W., Dominguez, M.-G., Penn, D. L., van Os, J., & Krabbendam, L. (2011). The relationship between neurocognition and social cognition with functional outcomes in schizophrenia: A meta-analysis. *Neuroscience & Biobehavioral Reviews, 35*(3), 573–588. <https://doi.org/10.1016/j.neubiorev.2010.07.001>
- Fett, A.-K. J., Viechtbauer, W., Penn, D. L., van Os, J., & Krabbendam, L. (2011). The relationship between neurocognition and social cognition with functional outcomes in schizophrenia: a meta-analysis. *Neuroscience & Biobehavioral Reviews, 35*(3), 573–588.
- Firth, J., Stubbs, B., Rosenbaum, S., Vancampfort, D., Malchow, B., Schuch, F., ... Yung, A. R. (2016). Aerobic exercise improves cognitive functioning in people with schizophrenia: a systematic review and meta-

- analysis. *Schizophrenia Bulletin*, 43(3), 546–556.
- Frith, C. D., & Frith, U. (2008). Implicit and explicit processes in social cognition. *Neuron*, 60(3), 503–510.
- Fusar-Poli, P., Placentino, A., Carletti, F., Landi, P., Allen, P., Surguladze, S., ... Politi, P. (2009). Functional atlas of emotional faces processing: a voxel-based meta-analysis of 105 functional magnetic resonance imaging studies. *Journal of Psychiatry & Neuroscience : JPN*, 34(6), 418–432. Retrieved from <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2783433/>
- Gauthier, I., Tarr, M. J., Moylan, J., Skudlarski, P., Gore, J. C., & Anderson, A. W. (2000). The Fusiform “Face Area” is Part of a Network that Processes Faces at the Individual Level. *Journal of Cognitive Neuroscience*, 12(3), 495–504. <https://doi.org/10.1162/089892900562165>
- Gilbert, D. T. (1989). Thinking lightly about others: Automatic components of the social inference process. *Unintended Thought*, 26, 481.
- Gilbert, D. T., Krull, D. S., & Pelham, B. W. (1988). Of thoughts unspoken: Social inference and the self-regulation of behavior. *Journal of Personality and Social Psychology*, 55(5), 685.
- Gilbert, D. T., & Malone, P. S. (1995). The correspondence bias. *Psychological Bulletin*, 117(1), 21.
- Gothe, N. P., & McAuley, E. (2015). Yoga and Cognition: A Meta-Analysis of Chronic and Acute Effects. *Psychosomatic Medicine*, 77(7), 784–797. <https://doi.org/10.1097/PSY.0000000000000218>
- Govindaraj, R., Varambally, S., Sharma, M., & Gangadhar, B. N. (2016). Designing and validation of a yoga-based intervention for schizophrenia. *International Review of Psychiatry (Abingdon, England)*, 1–4. <https://doi.org/10.3109/09540261.2016.1151404>
- Green, M. F., & Horan, W. P. (2010). Social cognition in schizophrenia. *Current Directions in Psychological Science*, 19(4), 243–248.
- Green, M. F., Horan, W. P., & Lee, J. (2015). Social cognition in schizophrenia. *Nature Reviews. Neuroscience*, 16(10), 620.
- Green, M. F., Penn, D. L., Bentall, R., Carpenter, W. T., Gaebel, W., Gur, R. C., ... Heinsen, R. (2008). Social cognition in schizophrenia: an NIMH workshop on definitions, assessment, and research opportunities. *Schizophrenia Bulletin*, 34(6), 1211–1220.

- Guy W. (2000). Clinical Global Impressions (CGI) Scale. Modified From: Rush J, et al.: *Psychiatric Measures*. APA, Washington DC.
- Hariprasad, V. R., Koparde, V., Sivakumar, P. T., Varambally, S., Thirthalli, J., Varghese, M., ... Gangadhar, B. N. (2013). Randomized clinical trial of yoga-based intervention in residents from elderly homes: Effects on cognitive function. *Indian J Psychiatry*, 55(Suppl 3), S357-63. Retrieved from http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=24049199
- Heider, F., & Simmel, M. (1944). An experimental study of apparent behavior. *The American Journal of Psychology*, 57(2), 243–259.
- Hogarty, G. E., Flesher, S., Ulrich, R., Carter, M., Greenwald, D., Pogue-Geile, M., ... Garrett, A. (2004). Cognitive enhancement therapy for schizophrenia: effects of a 2-year randomized trial on cognition and behavior. *Archives of General Psychiatry*, 61(9), 866–876.
- Hogarty, G. E., Greenwald, D. P., & Eack, S. M. (2006). Special section: a memorial tribute: durability and mechanism of effects of cognitive enhancement therapy. *Psychiatric Services*, 57(12), 1751–1757.
- Horan, W. P., Foti, D., Hajcak, G., Wynn, J. K., & Green, M. F. (2012). Intact motivated attention in schizophrenia: evidence from event-related potentials. *Schizophrenia Research*, 135(1), 95–99.
- Horan, W. P., Kern, R. S., Shokat-Fadai, K., Sergi, M. J., Wynn, J. K., & Green, M. F. (2009). Social cognitive skills training in schizophrenia: an initial efficacy study of stabilized outpatients. *Schizophrenia Research*, 107(1), 47–54.
- Horan, W. P., Kern, R. S., Tripp, C., Helleman, G., Wynn, J. K., Bell, M., ... Green, M. F. (2011). Efficacy and specificity of social cognitive skills training for outpatients with psychotic disorders. *Journal of Psychiatric Research*, 45(8), 1113–1122.
- Horan, W. P., Pineda, J. A., Wynn, J. K., Iacoboni, M., & Green, M. F. (2014). Some markers of mirroring appear intact in schizophrenia: evidence from mu suppression. *Cognitive, Affective, & Behavioral Neuroscience*, 14(3), 1049–1060.
- Hurford, I. M., Marder, S. R., Keefe, R. S. E., Reise, S. P., & Bilder, R. M.

- (2011). A Brief Cognitive Assessment Tool for Schizophrenia: Construction of a Tool for Clinicians. *Schizophrenia Bulletin*, 37(3), 538–545. <https://doi.org/10.1093/schbul/sbp095>
- Iacoboni, M. (2005). Understanding others: Imitation, language, empathy. *Perspectives on Imitation: From Cognitive Neuroscience to Social Science*, 1, 77–99.
- Iacoboni, M., Molnar-Szakacs, I., Gallese, V., Buccino, G., Mazziotta, J. C., & Rizzolatti, G. (2005). Grasping the Intentions of Others with One's Own Mirror Neuron System. *PLOS Biology*, 3(3), e79. Retrieved from <https://doi.org/10.1371/journal.pbio.0030079>
- Iyengar BKS. (2007). *Light on yoga sutras of patanjali* (13th ed.). New Delhi: Harper Collins Publishers India.
- Jayaram, N., Varambally, S., Behere, R., Venkatasubramanian, G., Arasappa, R., Christopher, R., & Gangadhar, B. (2013). Effect of yoga therapy on plasma oxytocin and facial emotion recognition deficits in patients of schizophrenia. *Indian Journal of Psychiatry*, 55(7), 409–413. <https://doi.org/10.4103/0019-5545.116318>
- Joanna Moncrieff. (2011). Questioning the “neuroprotective” hypothesis: does drug treatment prevent brain damage in early psychosis or schizophrenia? *The British Journal of Psychiatry*, 198, 85–87.
- Kajiume, A., Aoyama-Setoyama, S., Saito-Hori, Y., Ishikawa, N., & Kobayashi, M. (2013). Reduced brain activation during imitation and observation of others in children with pervasive developmental disorder: a pilot study. *Behavioral and Brain Functions*, 9(1), 21. <https://doi.org/10.1186/1744-9081-9-21>
- Kapur, S., Mizrahi, R., & Li, M. (2005). From dopamine to salience to psychosis—linking biology, pharmacology and phenomenology of psychosis. *Schizophrenia Research*, 79(1), 59–68.
- Kato, Y., Muramatsu, T., Kato, M., Shibukawa, Y., Shintani, M., & Mimura, M. (2011). Magnetoencephalography study of right parietal lobe dysfunction of the evoked mirror neuron system in antipsychotic-free schizophrenia. *PLoS One*, 6(11), e28087.
- Kimhy, D., Vakhrusheva, J., Bartels, M. N., Armstrong, H. F., Ballon, J. S., Khan, S., ... Lister, A. (2015). The impact of aerobic exercise on brain-

- derived neurotrophic factor and neurocognition in individuals with schizophrenia: a single-blind, randomized clinical trial. *Schizophrenia Bulletin*, 41(4), 859–868.
- Kinderman, P., & Bentall, R. P. (1996). A new measure of causal locus: the internal, personal and situational attributions questionnaire. *Personality and Individual Differences*, 20(2), 261–264.
- Kumar, D., Zia Ul Haq, M., Dubey, I., Dotivala, K. N., Veqar Siddiqui, S., Prakash, R., ... Nizamie, S. H. (2010). Effect of meta-cognitive training in the reduction of positive symptoms in schizophrenia. *European Journal of Psychotherapy and Counselling*, 12(2), 149–158.
- Lamm, C., Decety, J., & Singer, T. (2011). Meta-analytic evidence for common and distinct neural networks associated with directly experienced pain and empathy for pain. *Neuroimage*, 54(3), 2492–2502.
- Lee, J., Quintana, J., Nori, P., & Green, M. F. (2011). Theory of mind in schizophrenia: exploring neural mechanisms of belief attribution. *Social Neuroscience*, 6(5–6), 569–581.
- Li, H., Chan, R. C. K., McAlonan, G. M., & Gong, Q. (2009). Facial emotion processing in schizophrenia: a meta-analysis of functional neuroimaging data. *Schizophrenia Bulletin*, 36(5), 1029–1039.
- Lieberman, M. D. (2007). Social cognitive neuroscience: a review of core processes. *Annu. Rev. Psychol.*, 58, 259–289.
- MahadevanTMP. (2010). *Upanishads*. New Delhi: Motilal Banarsidas Publishers Pvt.Ltd.
- Marinkovic, K., & Halgren, E. (1998). Human brain potentials related to the emotional expression, repetition, and gender of faces. *Psychobiology*, 26(4), 348–356.
- Mayer, J. D., & Salovey, P. (1995). Emotional intelligence and the construction and regulation of feelings. *Applied and Preventive Psychology*, 4(3), 197–208.
- Mayer, J. D., Salovey, P., Caruso, D. R., & Sitarenios, G. (2003). Measuring emotional intelligence with the MSCEIT V2. 0. *Emotion*, 3(1), 97.
- Mazza, M., Lucci, G., Pacitti, F., Pino, M. C., Mariano, M., Casacchia, M., & Roncone, R. (2010). Could schizophrenic subjects improve their social cognition abilities only with observation and imitation of social

- situations? *Neuropsychological Rehabilitation*, 20(5), 675–703.
- McCleery, A., Lee, J., Joshi, A., Wynn, J. K., Hellemann, G. S., & Green, M. F. (2015). Meta-analysis of face processing event-related potentials in schizophrenia. *Biological Psychiatry*, 77(2), 116–126.
- McCormick, L. M., Brumm, M. C., Beadle, J. N., Paradiso, S., Yamada, T., & Andreasen, N. (2012). Mirror neuron function, psychosis, and empathy in schizophrenia. *Psychiatry Research: Neuroimaging*, 201(3), 233–239.
- McDonald, S., Flanagan, S., Rollins, J., & Kinch, J. (2003). TASIT: A New Clinical Tool for Assessing Social Perception After Traumatic Brain Injury. *The Journal of Head Trauma Rehabilitation*, 18(3). Retrieved from http://journals.lww.com/headtraumarehab/Fulltext/2003/05000/TASIT__A_New_Clinical_Tool_for_Assessing_Social.1.aspx
- Mehta, U. M., Basavaraju, R., Thirthalli, J., & Gangadhar, B. N. (2012). Mirror neuron dysfunction—a neuro-marker for social cognition deficits in drug naïve schizophrenia. *Schizophrenia Research*, 141(2), 281–283.
- Mehta, U. M., Bhagyavathi, H. D., Thirthalli, J., Kumar, K. J., & Gangadhar, B. N. (2014). Neurocognitive predictors of social cognition in remitted schizophrenia. *Psychiatry Research*, 219(2), 268–274.
- Mehta, U. M., Thirthalli, J., Basavaraju, R., Gangadhar, B. N., & Pascual-Leone, A. (2013). Reduced mirror neuron activity in schizophrenia and its association with theory of mind deficits: evidence from a transcranial magnetic stimulation study. *Schizophrenia Bulletin*, 40(5), 1083–1094.
- Michaels, T. M., Horan, W. P., Ginger, E. J., Martinovich, Z., Pinkham, A. E., & Smith, M. J. (2014). Cognitive empathy contributes to poor social functioning in schizophrenia: evidence from a new self-report measure of cognitive and affective empathy. *Psychiatry Research*, 220(3), 803–810.
- Mitchell, J. P., Heatherton, T. F., & Macrae, C. N. (2002). Distinct neural systems subserve person and object knowledge. *Proceedings of the National Academy of Sciences*, 99(23), 15238–15243.
- Mitra, S., Nizamie, S. H., Goyal, N., & Tikka, S. K. (2014). Mu-wave activity in schizophrenia: evidence of a dysfunctional mirror neuron system from an Indian study. *Indian Journal of Psychological Medicine*, 36(3), 276.
- Moncrieff, J. (2011). Questioning the “neuroprotective” hypothesis: does drug

- treatment prevent brain damage in early psychosis or schizophrenia? *The British Journal of Psychiatry*, 198, 85–87.
- Moritz, S., Veckenstedt, R., Randjbar, S., Vitzthum, F., & Woodward, T. S. (2011). Antipsychotic treatment beyond antipsychotics: metacognitive intervention for schizophrenia patients improves delusional symptoms. *Psychological Medicine*, 41(9), 1823–1832.
- Moritz, S., & Woodward, T. S. (2007). Metacognitive training in schizophrenia: from basic research to knowledge translation and intervention. *Current Opinion in Psychiatry*, 20(6), 619–625.
- Morris, R. W., Sparks, A., Mitchell, P. B., Weickert, C. S., & Green, M. J. (2012). Lack of cortico-limbic coupling in bipolar disorder and schizophrenia during emotion regulation. *Translational Psychiatry*, 2(3), e90.
- Mueller, D. R., Schmidt, S. J., & Roder, V. (2011). integrated neurocognitive therapy (int): final results of an international rct including a 1-year follow-up. In *Schizophrenia Bulletin* (Vol. 37, p. 316). oxford univ press great clarendon st, oxford ox2 6dp, england.
- Mukamel, R., Ekstrom, A. D., Kaplan, J., Iacoboni, M., & Fried, I. (2010). Single-neuron responses in humans during execution and observation of actions. *Current Biology*, 20(8), 750–756.
- Muktibodhananda, S. (1998). *Hatha Yoga Pradipika* (3rd ed.). Munger, Bihar: Yoga Publications Trust.
- Nuechterlein, K. H., Luck, S. J., Lustig, C., & Sarter, M. (2009). CNTRICS final task selection: control of attention. *Schizophrenia Bulletin*, 35(1), 182–196.
- Oberman, L. M., Ramachandran, V. S., & Pineda, J. A. (2008). Modulation of mu suppression in children with autism spectrum disorders in response to familiar or unfamiliar stimuli: the mirror neuron hypothesis. *Neuropsychologia*, 46(5), 1558–1565.
- Pancham Singh, & Rai Bahadur Srisa Chandra Vasu. (2009). *The Forceful Yoga* (1st ed.). New Delhi: Motilal Banarsidas Publishers Pvt.Ltd.
- Penn, D. L., Roberts, D. L., Combs, D., & Sterne, A. (2007). Best practices: the development of the social cognition and interaction training program for schizophrenia spectrum disorders. *Psychiatric Services*, 58(4), 449–

451.

- Penn, D. L., Sanna, L. J., & Roberts, D. L. (2008). Social cognition in schizophrenia: an overview. *Schizophrenia Bulletin*, *34*(3), 408–411.
- Penn, D., Roberts, D. L., Munt, E. D., Silverstein, E., Jones, N., & Sheitman, B. (2005). A pilot study of social cognition and interaction training (SCIT) for schizophrenia. *Schizophrenia Research*, *80*(2), 357–359.
- Perner, J., & Wimmer, H. (1985). “John thinks that Mary thinks that...” attribution of second-order beliefs by 5-to 10-year-old children. *Journal of Experimental Child Psychology*, *39*(3), 437–471.
- Pineda, J. A., & Hecht, E. (2009). Mirroring and mu rhythm involvement in social cognition: are there dissociable subcomponents of theory of mind? *Biological Psychology*, *80*(3), 306–314.
- Pinheiro, A. P., Liu, T., Nestor, P. G., McCarley, R. W., Gonçalves, Ó. F., & Niznikiewicz, M. A. (2013). Visual emotional information processing in male schizophrenia patients: combining ERP, clinical and behavioral evidence. *Neuroscience Letters*, *550*, 75–80.
- Premack, D., & Woodruff, G. (1978). Chimpanzee problem-solving: a test for comprehension. *Science*, *202*(4367), 532 LP-535. Retrieved from <http://science.sciencemag.org/content/202/4367/532.abstract>
- Ragland, J. D., Yoon, J., Minzenberg, M. J., & Carter, C. S. (2007). Neuroimaging of cognitive disability in schizophrenia: search for a pathophysiological mechanism. *International Review of Psychiatry*, *19*(4), 417–427.
- Rizzolatti, G., & Craighero, L. (2004). The mirror-neuron system. *Annu. Rev. Neurosci.*, *27*, 169–192.
- Roberts, D. L., & Penn, D. L. (2009). Social cognition and interaction training (SCIT) for outpatients with schizophrenia: a preliminary study. *Psychiatry Research*, *166*(2), 141–147.
- Roberts, D. L., Penn, D. L., Labate, D., Margolis, S. A., & Sterne, A. (2010). Transportability and Feasibility of Social Cognition and Interaction Training (SCIT) in Community Settings. *Behavioural and Cognitive Psychotherapy*, *38*(1), 35–47. <https://doi.org/DOI:10.1017/S1352465809990464>
- Roder, V. (2010). Integrated Neurocognitive Therapy: A group based

- approach to improve neuro-and social cognition. *Schizophrenia Research*, 117(2), 143–144.
- Roder, V., Mueller, D. R., Mueser, K. T., & Brenner, H. D. (2006). Integrated psychological therapy (IPT) for schizophrenia: is it effective? *Schizophrenia Bulletin*, 32(suppl_1), S81–S93.
- Roncione, R., Mazza, M., Frangou, I., De Risio, A., Ussorio, D., Tozzini, C., & Casacchia, M. (2004). Rehabilitation of theory of mind deficit in schizophrenia: a pilot study of metacognitive strategies in group treatment. *Neuropsychological Rehabilitation*, 14(4), 421–435.
- Ross, K., Freeman, D., Dunn, G., & Garety, P. (2009). A randomized experimental investigation of reasoning training for people with delusions. *Schizophrenia Bulletin*, 37(2), 324–333.
- Saykin, A. J., & Gur, R. C. et al. (1991). Neuropsychological Function in Schizophrenia Selective Impairment in Memory and Learning. *Arch Gen Psychiatry*, 48(7).
- Schürmann, M., Järveläinen, J., Avikainen, S., Cannon, T. D., Lönqvist, J., Huttunen, M., & Hari, R. (2007). Manifest disease and motor cortex reactivity in twins discordant for schizophrenia. *The British Journal of Psychiatry*, 191(2), 178–179.
- Sheehan, D., Lecrubier, Y., Sheehan, K. H., Sheehan, K., Amorim, P., Janavs, J., ... Dunbar, G. (1998). Diagnostic psychiatric interview for DSM-IV and ICD-10. *J Clin Psychiatr*, 59, 22–33.
- Singh, F., Pineda, J., & Cadenhead, K. S. (2011). Association of impaired EEG mu wave suppression, negative symptoms and social functioning in biological motion processing in first episode of psychosis. *Schizophrenia Research*, 130(1), 182–186.
- Sri Janananda Bharati. (1982). *The Essence of Yoga Vasishtha* (1st ed.). Chennai: Samata Books.
- Steven D, Targum MD and Richard S.E. Keefe, P. (2008). Cognition and Schizophrenia. *Psychiatry (Edgmont)*, 5(12), 55–59.
- Stone, V. E., Baron-Cohen, S., & Knight, R. T. (1998). Frontal lobe contributions to theory of mind. *Journal of Cognitive Neuroscience*, 10(5), 640–656.
- Szöke, A., Trandafir, A., Dupont, M.-E., Méary, A., Schürhoff, F., & Leboyer,

- M. (2008). Longitudinal studies of cognition in schizophrenia: meta-analysis. *The British Journal of Psychiatry*, *192*(4), 248–257.
- Szöke, A., Trandafir, A., Dupont, M., Méary, A., Schürhoff, F., Schu, F., ... Me, A. (2008). Longitudinal studies of cognition in schizophrenia : , 248–257. <https://doi.org/10.1192/bjp.bp.106.029009>
- Taylor, S. F., Kang, J., Brege, I. S., Tso, I. F., Hosanagar, A., & Johnson, T. D. (2012). Meta-analysis of functional neuroimaging studies of emotion perception and experience in schizophrenia. *Biological Psychiatry*, *71*(2), 136–145.
- Thakkar, K. N., Peterman, J. S., & Park, S. (2014). Altered brain activation during action imitation and observation in schizophrenia: a translational approach to investigating social dysfunction in schizophrenia.
- van der Gaag, M., Kern, R. S., van den Bosch, R. J., & Liberman, R. P. (2002). A controlled trial of cognitive remediation in schizophrenia. *Schizophrenia Bulletin*, *28*(1), 167–176.
- van der Meer, L., Swart, M., van der Velde, J., Pijnenborg, G., Wiersma, D., Bruggeman, R., & Aleman, A. (2014). Neural correlates of emotion regulation in patients with schizophrenia and non-affected siblings. *PLoS One*, *9*(6), e99667.
- Varambally, S., Gangadhar, B., Thirthalli, J., Jagannathan, A., Kumar, S., Venkatasubramanian, G., ... Nagendra, H. (2012). Therapeutic efficacy of add-on yogasana intervention in stabilized outpatient schizophrenia: Randomized controlled comparison with exercise and waitlist. *Indian Journal of Psychiatry*, *54*(3), 227–232. <https://doi.org/10.4103/0019-5545.102414>
- Velikonja, O., Čurić, K., Ožura, A., & Jazbec, S. Š. (2010). Influence of sports climbing and yoga on spasticity, cognitive function, mood and fatigue in patients with multiple sclerosis. *Clinical Neurology and Neurosurgery*, *112*(7), 597–601.
- Vuilleumier, P., & Pourtois, G. (2007). Distributed and interactive brain mechanisms during emotion face perception: Evidence from functional neuroimaging. *Neuropsychologia*, *45*(1), 174–194. <https://doi.org/https://doi.org/10.1016/j.neuropsychologia.2006.06.003>
- Walter, H., Ciaramidaro, A., Adenzato, M., Vasic, N., Ardito, R. B., Erk, S., &

- Bara, B. G. (2009). Dysfunction of the social brain in schizophrenia is modulated by intention type: an fMRI study. *Social Cognitive and Affective Neuroscience, 4*(2), 166–176.
- Walther, S., Federspiel, A., Horn, H., Bianchi, P., Wiest, R., Wirth, M., ... Müller, T. J. (2009). Encoding deficit during face processing within the right fusiform face area in schizophrenia. *Psychiatry Research: Neuroimaging, 172*(3), 184–191.
- Werntz, D. A., Bickford, R. G., Bloom, F. E., & Shannahoff-Khalsa, D. S. (1982). Alternating cerebral hemispheric activity and the lateralization of autonomic nervous function. *Human Neurobiology, 2*(1), 39–43.
- Wiersma, D., DeJong, A., & Ormel, J. (1988). The Groningen Social Disabilities Schedule: development, relationship with ICIDH, and psychometric properties. *International Journal of Rehabilitation Research, 11*(3), 213–224.
- Wimmer, H., & Perner, J. (1983). Beliefs about beliefs: Representation and constraining function of wrong beliefs in young children's understanding of deception. *Cognition, 13*(1), 103–128.
- Wölwer, W., Frommann, N., Halfmann, S., Piaszek, A., Streit, M., & Gaebel, W. (2005). Remediation of impairments in facial affect recognition in schizophrenia: efficacy and specificity of a new training program. *Schizophrenia Research, 80*(2), 295–303.
- Yoon, J. H., D'Esposito, M., & Carter, C. S. (2006). Preserved function of the fusiform face area in schizophrenia as revealed by fMRI. *Psychiatry Research: Neuroimaging, 148*(2), 205–216.