

BIBLIOGRAPHY

- Altman, D. G., & Bland, J. M. (2005). Treatment allocation by minimisation. *British Medical Journal (Clinical Research Ed.)*, 330(7495), 843.
- Atkinson, R. L. (2007). Viruses as an etiology of obesity. *Mayo Clinic Proceedings*, 82(10), 1192–8.
- Atreya, B.L., Samvid. (2005). *The Vision and the way of Vasistha* (Second edition). Chennai: Samata Books.
- Bankar, M. A, Chaudhari, S. K., & Chaudhari, K. D. (2013). Impact of long term Yoga practice on sleep quality and quality of life in the elderly. *Journal of Ayurveda and Integrative Medicine*, 4(1), 28–32.
- Bellocchio, L., Vicennati, V., Cervino, C., Pasquali, R., & Pagotto, U. (2007). The endocannabinoid system in the regulation of cardiometabolic risk factors. *The American Journal of Cardiology*, 100(12A), 7–17.
- Benavides, S., & Caballero, J. (2009). Ashtanga yoga for children and adolescents for weight management and psychological well being: An uncontrolled open pilot study. *Complementary Therapies in Clinical Practice*, 15, 110–114.
- Bergström, A., Hsieh, C. C., Lindblad, P., Lu, C. M., Cook, N. R., & Wolk, A. (2001). Obesity and renal cell cancer—a quantitative review. *British Journal of Cancer*, 85, 984–990.
- Bernstein, A. M., Bar, J., Ehrman, J. P., Golubic, M., & Roizen, M. F. (2013). Yoga in the management of over weight and obesity. *American Journal of Life Style Medicine*, X(X), 33–41.
- Bishop, C. W., & Pitchey, S. J. (1987). Estimation of the mid-upper arm circumference measurement error. *Journal of the American Dietetic Association*, 87, 469–473.
- Bornstein, S. R., Ehrhart-Bornstein, M., Wong, M. L., & Licinio, J. (2008). Is the worldwide epidemic of obesity a communicable feature of globalization?. *Experimental and Clinical Endocrinology and Diabetes*, 116, S30-2.
- Brawer, R., Brisbon, N., & Plumb, J. (2009). Obesity and cancer. *Primary Care*, 36(3), 509–31.
- Brzezinski, J. (2015). *Yoga Tarangini—a rare commentary on Goraksha sataka* (First). Rishikesh: Himalayan Yoga Publication Trust.
- Buysse, D. J., Reynolds, C. F., Monk, T. H., Berman, S. R., & Kupfer, D. J. (1989). The Pittsburgh Sleep Quality Index: a new instrument for psychiatric practice and research. *Psychiatry Research*, 28, 193–213.
- Calvin, A. D., Carter, R. E., Adachi, T., MacEdo, P. G., Albuquerque, F. N., Van Der Walt, C., ... Somers, V. K. (2013). Effects of experimental sleep restriction on caloric intake and activity energy expenditure. *Chest*, 144(1), 79–86.
- Carlson, L. E., & Brown, K. W. (2005). Validation of the Mindful Attention Awareness Scale in a cancer population. *Journal of Psychosomatic Research*, 58, 29–33.
- Cattermole, G. N., Leung, P. Y. M., Mak, P. S., Graham, C. A., & Rainer, T. H. (2010). Mid-arm circumference can be used to estimate children’s weights. *Resuscitation*, 81, 1105–10.
- Chakraborty, R., Bose, K., & Bisai, S. (2009). Mid-upper arm circumference as a measure of nutritional status among adult Bengalee male slum dwellers of Kolkata, India: relationship with self reported morbidity. *Journal of Biological and Clinical Anthropology*, 67(2), 129–37.

- Chandra, F. A. (1994). *Behavioral and Psychological Approaches to Breathing Disorders*. Boston: Springer US.
- Chaput, J. P., Bouchard, C., & Tremblay, A. (2014). Change in sleep duration and visceral fat accumulation over 6 years in adults. *Obesity*, 22(5), 9-12.
- Chou, S. H., & Mantzoros, C. (2014). Leptin in human reproductive disorders. *The Journal of Endocrinology*, 223(1), 49-62.
- Chowdhury, K., Datta, N., & Rao, M. V. (2013). Management of Sthaulya (Obesity) Through Kunjal Kriya. *International Journal of Research in Ayurveda & Pharmacy*, 4(4), 599–604.
- Christakis, N. A., & Fowler, J. H. (2007). The spread of obesity in a large social network over 32 years. *The New England Journal of Medicine*, 357, 370–379.
- Conterno, L., Fava, F., Viola, R., & Tuohy, K. M. (2011). Obesity and the gut microbiota: does up-regulating colonic fermentation protect against obesity and metabolic disease? *Genes & Nutrition*, 6(3), 241–60.
- Cordon, S. L., & Finney, S. J. (2008). Measurement invariance of the mindful attention awareness scale across adult attachment style. *Measurement and Evaluation in Counseling and Development*, 40, 228–245.
- Dabhadkar, K. C., Deshmukh, A., Bellam, N., & Tuliani, T. (2013). Body shape index predicts cardiovascular mortality independent of BMI. *Journal of the American College of Cardiology*, 61(10), 1364.
- Dairo, M. D., Fatokun, M. E., & Kuti, M. (2012). Reliability of the Mid Upper Arm Circumference for the Assessment of Wasting among Children Aged 12-59 Months in Urban Ibadan, Nigeria. *International Journal of Biomedical Science*, 8, 140–3.
- Daubenmier, J., Kristeller, J., Hecht, F. M., Maninger, N., Kuwata, M., Jhaveri, K., ... Epel, E. (2011). Mindfulness intervention for stress eating to reduce cortisol and abdominal fat among overweight and obese women: An exploratory randomized controlled study. *Journal of Obesity*, 2011, 1–13.
- Deepa, M., Farooq, S., Deepa, R., Manjula, D., & Mohan, V. (2009). Prevalence and significance of generalized and central body obesity in an urban Asian Indian population in Chennai, India (CURES: 47). *European Journal of Clinical Nutrition*, 63(2), 259–67.
- Dehghan, M., Akhtar-Danesh, N., & Merchant, A. T. (2005). Childhood obesity, prevalence and prevention. *Nutrition Journal*, 4(24), 1–8.
- Després, J., & Lemieux, I. (2006). Abdominal obesity and metabolic syndrome. *Insight*, 444, 881–887.
- Dhananjai, S., Sadashiv, Tiwari, S., Dutt, K., & Kumar, R. (2013). Reducing psychological distress and obesity through Yoga practice. *International Journal of Yoga*, 6(1), 66–70.
- Dhurandhar, N. (2014). Obesity in India: Opportunities for clinical research. *Journal of Obesity and Metabolic Research*, 1(1), 25-29.
- Di Marzo, V., Ligresti, A., & Cristino, L. (2009). The endocannabinoid system as a link between homeostatic and hedonic pathways involved in energy balance regulation. *International Journal of Obesity (2005)*, 33 Suppl 2, S18-24.
- Durnin, J. V., & Womersley, J. (1974). Body fat assessed from total body density and its estimation from skinfold thickness: measurements on 481 men and women aged from 16 to 72 years.

British Journal of Nutrition, 32(1), 77–97.

- Faul, F., Erdfelder, E., Lang, A.-G., & Buchner, A. (2007). G*Power 3: a flexible statistical power analysis program for the social, behavioral, and biomedical sciences. *Behavior Research Methods*, 39, 175–191.
- Filiatrault, M.L., Chaput, J.P., Drapeau, V., & Tremblay, A. (2014). Eating behavior traits and sleep as determinants of weight loss in overweight and obese adults. *Nutrition & Diabetes*, 4(10), 1-8.
- Formiguera, X., & Cantón, A. (2004). Obesity: epidemiology and clinical aspects. *Best Practice & Research Clinical Gastroenterology*, 18, 1125–46.
- Gadham, J., Sajja, S., & Rooha, V. (2015). Effect of Yoga on obesity , hypertension and lipid profile. *International Journal of Research in Medical Sciences*, 3(5), 1061–65.
- Gamelin, F.-X., Aucouturier, J., Iannotti, F. A., Piscitelli, F., Mazzearella, E., Aveta, T., ... Heyman, E. (2016). Effects of chronic exercise on the endocannabinoid system in Wistar rats with high-fat diet-induced obesity. *Journal of Physiology and Biochemistry*, 72(2), 183–99.
- Garvey, W. T. (2014). Advanced framework for a new diagnosis of obesity as a chronic disease- The American Association of Clinical Endocrinologists and the American College of Endocrinology. *Endocrine Practice : Official Journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*, 20(9), 977–89.
- Gautam, P. C. (2014). *The modern English translation of The Rig Veda Samhita*. Mumbai: Bharatiya vidya Bhavan.
- Gharote M. (2015). *Therapeutic References in Traditional Yoga Texts* (Second edition). Lonavla: The Lonavla Yoga Institute (India).
- Girdhar, S., Sharma, S., Chaudhary, A., Bansal, P., & Satija, M. (2016). An Epidemiological Study of Overweight and Obesity Among Women in an Urban Area of North India. *Indian Journal of Community Medicine : Official Publication of Indian Association of Preventive & Social Medicine*, 41(2), 154–7.
- Gokal, R., Shillito, L., & Maharaj, S. R. (2007). Positive impact of yoga and pranayam on obesity, hypertension, blood sugar, and cholesterol: a pilot assessment. *Journal of Alternative and Complementary Medicine*, 13(10), 1056–7.
- Gopal, M. (1990). *India through the ages*. New Delhi: Publication Division, Ministry of Information and Broadcasting, Government of India.
- Gopalani, & Sarmandal. (2013). *Obesity- Kottakkal Ayurveda Series -67* (Third). Kottakkal: Arya Vaidya Sala Kottakkal.
- Grantham, J. P., & Henneberg, M. (2014). The estrogen hypothesis of obesity. *PloS One*, 9(6), e99776.
- Gulati, S., & Misra, A. (2014). Sugar intake, obesity, and diabetes in India. *Nutrients*, 6(12), 5955–74.
- Gupta, N., Khera, S., Vempati, R. P., Sharma, R., & Bijlani, R. L. (2006). Effect of yoga based lifestyle intervention on state and trait anxiety. *Indian Journal of Physiology and Pharmacology*, 50(1), 41–7.
- Gurevich-panigrahi, T., Panigrahi, S., Wiechec, E., & Los, M. (2009). Obesity : Pathophysiology and Clinical Management. *Current Medicinal Chemistry*, 16, 506–521.

- Hariharananda Aranya, S. (2000). *Yoga Philosophy of Patanjali with Bhasvati* (Fourth). Culcutta: University of Culcutta.
- HariPrasad, V. R., Sivakumar, P. T., Koparde, V., Varambally, S., Thirthalli, J., Varghese, M., ... Gangadhar, B. N. (2013). Effects of yoga intervention on sleep and quality of life in elderly: A randomized controlled trial. *Indian Journal of Psychiatry*, 55(Suppl 3), S364-8.
- Hemmingson, E. (2014). A new model of the role of psychological and emotional distress in promoting obesity : conceptual review with implications for treatment and PubMed Commons. *Obesity Reviews*, 15(8), 1–2.
- Indian Institute for Population sciences (2015). *National Family Health Survey - 4 2015-16- State fact sheet, Maharashtra*, Retrieved from <http://iipsindia.org/>
- Ingledeu, D. K., & Markland, D. (2008). The role of motives in exercise participation. *Psychology & Health*, 23(7), 807–28.
- Innes, K. E., & Vincent, H. K. (2007). The influence of yoga based programs on risk profiles in adults with type 2 diabetes mellitus: A systematic review. *Evidence-Based Complementary and Alternative Medicine*. 4(4), 469–86.
- Janssen, I., Heymsfield, S. B., Wang, Z., Ross, R., Kung, T. A., & Cederna, P. S. W. (2014). Skeletal muscle mass and distribution in 468 men and women aged 18 – 88 year. *Journal of Applied Physiology*, 81–88.
- Jarrin, D., Mcgrath, J., & Drake, C. (2013). Beyond sleep duration: distinct sleep dimensions are associated with obesity in children and adolescents. *International Journal of Obesity*, 37(4), 552-58.
- Jensky-Squires, N. E., Dieli-Conwright, C. M., Rossuello, A., Erceg, D. N., McCauley, S., & Schroeder, E. T. (2008). Validity and reliability of body composition analysers in children and adults. *The British Journal of Nutrition*, 100(4), 859–65.
- Joshi, S., Deole, Y. S., Vyas, G. H., & Dash, S. C. (2009). Management of Overweight and Obesity through specific Yogic procedures. *AYU*, 30(4), 425–35.
- Júnior, I. F., Cardoso, J. R., Christofaro, D. G. , Codogno, J. S., de Moraes, A. C. , & Fernandes, R. A. (2013). The relationship between visceral fat thickness and bone mineral density in sedentary obese children and adolescents. *BMC Pediatrics*, 13(37), 1-5.
- Kalra, S., & Jindal, S. (2014). Nutrition, metabolism, endocrinology, and the Bhagavad Gita. *Journal of Medical Nutrition and Nutraceuticals*, 3(1), 19-20.
- Kalra, S., & Unnikrishnan, A. G. (2012). Obesity in India: The weight of the nation. *Journal of Medical Nutrition and Nutraceuticals*, 1(1), 37-41.
- Kay, A. (2007). Yoga and Meditation: An adjunct to nutrition counseling in weight management: Program rationale and design. *Journal of the American Dietetic Association*, 107(8), 98.
- Kiecolt-glaser, J. K., Christian, L. M., Andridge, R., Seuk, B., Malarkey, W. B., Belury, & Glaser, R. (2012). Physiology & behavior adiponectin , leptin , and yoga practice . *Physiology & Behavior*, 107(5), 809–813.
- Kitahara, C. M., Flint, A. J., Berrington De Gonzalez, A., Bernstein, L., Brotzman, M., Macinnis, R. J., & Hartge, P. (2014). Association between Class III Obesity (BMI of 40–59 kg/m²) and Mortality: A Pooled Analysis of 20 Prospective Studies. *PLoS Medicine*, 11(7), e1001673.
- Koch, F.S., Sepa, A., & Ludvigsson, J. (2008). Psychological stress and obesity. *The Journal of*

Pediatrics, 153(6), 839–44.

- Kosuri, M., & Sridhar, G. R. (2009). Yoga practice in diabetes improves physical and psychological outcomes. *Metabolic Syndrome and Related Disorders*, 7, 515–57.
- Krakauer, N. Y., & Krakauer, J. C. (2012). A new body shape index predicts mortality hazard independently of body mass index. *PLoS ONE*, 7(7), e39504.
- Kristal, A. R., Littman, A. J., Benitez, D., & White, E. (2005). Yoga practice is associated with attenuated weight gain in healthy, middle-aged men and women. *Alternative Therapies in Health and Medicine*, 11(4), 28–33.
- Kumari, A. & Tiwari, P. (2010). *A complete treatise on Ayurveda Yogaratnakara*. Varanasi: Choukhambha Visvabharati Oriental Publishers and Distributers.
- Kyle, U. G., Bosaeus, I., De Lorenzo, A. D., Deurenberg, P., Elia, M., Manuel Gómez, J., & Pichard, C. (2004). Bioelectrical impedance analysis-part II: utilization in clinical practice. *Clinical Nutrition (Edinburgh, Scotland)*, 23, 1430–53.
- Lara, B., Salinero, J. J., Gutiérrez, J., Areces, F., Abián-Vicén, J., Ruiz-Vicente, D., & Del Coso, J. (2016). Influence of endurance running on calcaneal bone stiffness in male and female runners. *European Journal of Applied Physiology*, 116(2), 327–33.
- Lauby-Secretan, B., Scoccianti, C., Loomis, D., Grosse, Y., Bianchini, F., & Straif, K. (2016). Body fatness and cancer-viewpoint of the IARC working group. *New England Journal of Medicine*, 375(8), 794–98.
- Lizzer, S., Bedogni, G., Lafortuna, C. L., Marazzi, N., Busti, C., Galli, R., & Sartorio, A. (2010). Relationship between basal metabolic rate, gender, age, and body composition in 8,780 white obese subjects. *Obesity (Silver Spring, Md.)*, 18(1), 71–8.
- Lee, E. H. (2012). Review of the psychometric evidence of the perceived stress scale. *Asian Nursing Research*, 6, 121–27.
- Li, S., Zhao, J. H., Luan, J., Ekelund, U., Luben, R. N., Khaw, K.T., & Loos, R. J. (2010). Physical activity attenuates the genetic predisposition to obesity in 20,000 men and women from EPIC-Norfolk prospective population study. *PLoS Medicine*, 7(8), 1- 9.
- Lillis, J., & Hayes, S. C. (2008). Measuring avoidance and inflexibility in weight related problems. *International Journal of Behavioral Consultation and Therapy*, 4, 348–54.
- Lokeswarananda, S. (2005). *SVETASVATARA UPANISAD Translated with notes based on Sankaras commentary* (Second). Kolkata: The Ramakrishna Mission institute of Culture.
- Loucks, E. B., Britton, W. B., Howe, C. J., & Eaton, C. B. (2015). Cardiovascular Health : the New England Family Study. *International Journal of Behavioral Medicine*, 22(4), 540–50.
- Lu, Y. H., Rosner, B., Chang, G., & Fishman, L. M. (2016). Twelve-minute daily yoga regimen reverses osteoporotic bone loss. *Topics in Geriatric Rehabilitation*, 32(2), 81–87.
- Luo, W., Morrison, H., de Groh, M., Waters, C., DesMeules, M., Jones-McLean, E., & Mao, Y. (2007). The burden of adult obesity in Canada. *Chronic Diseases in Canada*, 27, 135–44.
- MacDaniels, J. S., & Schwartz, T. L. (2016). Effectiveness, tolerability and practical application of the newer generation anti-obesity medications. *Drugs in Context*, 5, 1-7.
- MacKillop, J., & Anderson, E. J. (2007). Further psychometric validation of the mindful attention awareness scale (MAAS). *Journal of Psychopathology and Behavioral Assessment*, 29, 289–93.

- Maheshananda, S., Sharma, B. R., Sahay, G. S., Bodhe, R. K., Jha, B. K., & Bhardwaj, C. L. (2014). *Śiva Samhita*. Lonavla: Kaivalyadhama SMYM Samiti.
- Manenschijn, L., Koper, J. W., Lamberts, S. W. J., & Van-Rossum, E. F. C. (2011). Evaluation of a method to measure long term cortisol levels. *Steroids*, 76, 1032–36.
- Markland, D., & Ingledew, D. K. (2007). The relationships between body mass and body image and relative autonomy for exercise among adolescent males and females. *Psychology of Sport and Exercise*, 8(5), 836–53.
- Markwald, R. R., Melanson, E. L., Smith, M. R., Higgins, J., Perreault, L., Eckel, R. H., & Wright, K. P. (2013). Impact of insufficient sleep on total daily energy expenditure, food intake and weight gain. *Proceedings of the National Academy of Sciences of the United States of America*, 110(14), 5695–700.
- Mathers, C. D., & Loncar, D. (2006). Projections of global mortality and burden of disease from 2002 to 2030. *PLoS Medicine*, 3, 2011–30.
- Medina, J., Hopkins, L., Powers, M., Baird, S. O., & Smits, J. (2015). The Effects of a Hatha Yoga Intervention on Facets of Distress Tolerance. *Cognitive Behaviour Therapy*, 44(4), 288–300.
- Mini Sheth, N. S. (2011). *The Scientific Way to Managing Obesity*, New Delhi: Sterling Publications.
- Misra, A., & Shrivastava, U. (2013). Obesity and dyslipidemia in South Asians. *Nutrients*, 5(7), 2708–33.
- Mondal, S. (2013). Science of exercise: ancient Indian origin. *The Journal of the Association of Physicians of India*, 61(8), 560–62.
- Monteiro, R., & Azevedo, I. (2010). Chronic inflammation in obesity and the metabolic syndrome. *Mediators of Inflammation*, 2010, 1-10.
- Morberg, C. M., Tetens, I., Black, E., Toubro, S., Soerensen, T. I. A., Pedersen, O., & Astrup, A. (2003). Leptin and bone mineral density: a cross-sectional study in obese and nonobese men. *The Journal of Clinical Endocrinology and Metabolism*, 88(12), 5795–800.
- Moustaka, F. C., Vlachopoulos, S. P., Vazou, S., Kaperoni, M., & Markland, D. A. (2010). Initial Validity Evidence for the Behavioral Regulation in Exercise Questionnaire-2 Among Greek Exercise Participants. *European Journal of Psychological Assessment*, 26(4), 269–76.
- Muktibodhananda, S. (2005). *Hatha Yoga Pradipika*. Munger: Yoga Publications Trust.
- Nagaratna, R., & Nagendra, H. R. (2014). *Yoga for Obesity*. Bengaluru: Swami Vivekananda Yoga Prakashana.
- Nang, E. E. K., Gitau Ngunjiri, S. A., Wu, Y., Salim, A., Tai, E. S., Lee, J., & Van Dam, R. M. (2011). Validity of the international physical activity questionnaire and the Singapore prospective study program physical activity questionnaire in a multiethnic urban Asian population. *BMC Medical Research Methodology*, 11(141), 1-11.
- Narayana, A. (1995). Medical science in ancient Indian culture with special reference to Atharvaveda. *Bulletin of the Indian Institute of History of Medicine (Hyderabad)*, 25(1–2), 100–10.
- National Institute of Nutrition. (2011). *Dietary guidelines for Indians a manual*(2nd Ed.). Hyderabad: NIN
- NCD Risk Factor Collaboration (2016). Trends in adult body-mass index in 200 countries from

- 1975 to 2014: a pooled analysis of 1698 population-based measurement studies with 19·2 million participants. *Lancet*, 387(10026), 1377–96.
- Niemeier, H. M., Leahey, T., Palm Reed, K., Brown, R. A., & Wing, R. R. (2012). An acceptance-based behavioral intervention for weight loss: a pilot study. *Behavior Therapy*, 43(2), 427–35.
- Niranjanananda. (2012). *Gheranda samhita* (2012 ed.). Munger: Yoga Publication Trust.
- Papp, I., Czeglédi, E., Udvardy-Mészáros, A., Vizin, G., & Perczel Forintos, D. (2014). Outcome of a one-year behavior therapy weight loss program. *Orvosi Hetilap*, 155(30), 1196–1202.
- Philosophico literary research department. (2005). *Vasistha Samhita* (2005th ed.). Lonavla: Kaivalyadhama SMYM samiti.
- Prasad, D., Dash, A., Kabir, Z., & Das, B. (2012). Prevalence and risk factors for metabolic syndrome in Asian Indians: A community study from urban Eastern India. *Journal of Cardiovascular Disease Research*, 3(3), 204–11.
- Raj, M., & Kumar, R. K. (2010). Obesity in children & adolescents. *Indian Journal of Medical Research*, 132(November), 598–607.
- Ramachandran, A., & Snehalatha, C. (2010). Rising burden of obesity in Asia. *Journal of Obesity*, 2010.1-8.
- Rioux, J. G., & Ritenbaugh, C. (2013). Narrative review of yoga intervention clinical trials including weight-related outcomes. *Alternative Therapies in Health and Medicine*, 19(3), 32–46.
- Romero-Corral, A., Somers, V. K., Sierra-Johnson, J., Thomas, R. J., Collazo-Clavell, M. L., Korinek, J., & Lopez-Jimenez, F. (2008). Accuracy of body mass index in diagnosing obesity in the adult general population. *International Journal of Obesity (2005)*, 32, 959–66.
- Rutters, F., Nieuwenhuizen, A. G., Lemmens, S. G. T., Born, J. M., & Westerterp-Plantenga, M. S. (2009). Hypothalamic-Pituitary-Adrenal (HPA) axis functioning in relation to body fat distribution. *Clinical Endocrinology*, 72(6), 738–43.
- Sansbury, B. E., & Hill, B. G. (2014). Regulation of obesity and insulin resistance by nitric oxide. *Free Radical Biology & Medicine*, 0, 383–99.
- Sarría, A., García-Llop, L. A., Moreno, L. A., Fleta, J., Morellón, M. P., & Bueno, M. (1998). Skinfold thickness measurements are better predictors of body fat percentage than body mass index in male Spanish children and adolescents. *European Journal of Clinical Nutrition*, 52(8), 573–76.
- Sarvottam, K., & Yadav, R. K. (2014). Obesity-related inflammation & cardiovascular disease: efficacy of a yoga-based lifestyle intervention. *The Indian Journal of Medical Research*, 139(6), 822–34.
- Schafer, A. A., Domingues, M. R., Dahly, D. L., Meller, F. O., Goncalves, H., Wehrmeister, F. C., & Assuncao, M. C. F. (2016). Sleep Duration Trajectories and Body Composition in Adolescents: Prospective Birth Cohort Study. *PloS One*, 11(3), e0152348.
- Scott, N. W., McPherson, G. C., Ramsay, C. R., & Campbell, M. K. (2002). The method of minimization for allocation to clinical trials: A review. *Controlled Clinical Trials*, 23, 662–74.
- Seo, D. Y., Lee, S., Figueroa, A., Kim, H. K., Baek, Y. H., Kwak, Y. S., & Han, J. (2012). Yoga training improves metabolic parameters in obese boys. *The Korean Journal of Physiology & Pharmacology : Official Journal of the Korean Physiological Society and the Korean Society*

of *Pharmacology*, 16(3), 175–80.

- Sharma, R. B., & Dash, V. B. (2015). *Agnivessa's Caraka Samhita based on Cakrapani Daat's Ayurveda Dipika* (2015th ed.). Varanasi: Chowkhamba Sanskriti Series Office.
- Shinde, N., Shinde K.J., Khatri, S.M., & Hande, D. (2013). A Comparative Study of Yoga and Aerobic Exercises in Obesity and its Effect on Pulmonary Function. *Journal of Diabetes & Metabolism*, 4(4), 1-4.
- Singh, R. B., Pella, D., Mechirova, V., Kartikey, K., Demeester, F., Tomar, R. S., & Krishna, A. (2007). Prevalence of obesity, physical inactivity and undernutrition, a triple burden of diseases during transition in a developing economy- The Five City Study Group. *Acta Cardiologica*, 62(2), 119–27.
- Snehalatha, C., Viswanathan, V., & Ramachandran, A. (2003). Cutoff values for normal anthropometric variables in asian Indian adults. *Diabetes Care*, 26(5), 1380–4.
- Spaeth, A. M., Dinges, D. F., & Goel, N. (2013). Effects of experimental sleep restriction on weight gain, caloric intake, and meal timing in healthy adults. *Sleep*, 36, 981–90.
- Srinivasan, D. (1984). Unhinging Śiva from the Indus civilization. *Journal of the Royal Asiatic Society of Great Britain & Ireland*, 116(1), 77–89.
- Srinivasayogi. (2009). *Hatharatnavali* (2nd ed.). Lonavla: The Lonavla Yoga Institute.
- St-Onge, M.-P., Mikic, A., & Pietrolungo, C. E. (2016). Effects of Diet on Sleep Quality. *Advances in Nutrition (Bethesda, Md.)*, 7(5), 938–49.
- Stunkard, A. J., Faith, M. S., & Allison, K. C. (2003). Depression and obesity. *Biological Psychiatry*, 54, 330–37.
- Svatmarama. (2005). *The Hatha Yoga Pradipika*. (B. D. AKERS, Ed.). New Delhi: The New Age Books.
- Taheri, S., Lin, L., Austin, D., Young, T., & Mignot, E. (2004). Short sleep duration is associated with reduced leptin, elevated ghrelin, and increased body mass index. *PLoS Medicine*, 1, 210–17.
- Taimini, I.K. (2010). *The Science of Yoga*. Chennai: The Theosophical society Adayar.
- Tasali, E., Chapotot, F., Wroblewski, K., & Schoeller, D. (2014). The effects of extended bedtimes on sleep duration and food desire in overweight young adults: A home-based intervention. *Appetite*, 80, 220–24.
- Telles, S., Naveen, V. K., Balkrishna, A., & Kumar, S. (2010). Short term health impact of a yoga and diet change program on obesity. *Medical Science Monitor : International Medical Journal of Experimental and Clinical Research*, 16(1), 35–40.
- Telles, S., Sharma, S. K., Yadav, A., Singh, N., & Balkrishna, A. (2014). A comparative controlled trial comparing the effects of yoga and walking for overweight and obese adults. *Medical Science Monitor : International Medical Journal of Experimental and Clinical Research*, 20, 894–904.
- Thayer, K. A., Heindel, J. J., Bucher, J. R., & Gallo, M. A. (2012). Role of Environmental Chemicals in Diabetes and Obesity: A National Toxicology Program Workshop Review. *Environmental Health Perspectives*, 120, 779–89.
- Theorell-Haglöw, J., & Lindberg, E. (2016). Sleep Duration and Obesity in Adults: What Are the Connections? *Current Obesity Reports*, 5(3), 333–43.

- Touati, S., Meziri, F., Devaux, S., Berthelot, A., Touyz, R. M., & Laurant, P. (2011). Exercise reverses metabolic syndrome in high-fat diet-induced obese rats. *Medicine and Science in Sports and Exercise*, 43(3), 398–407.
- Tundwala, V., Gupta, R. P., Kumar, S., Singh, V. B., Br, S., Dayal, P., & Prakash, P. (2012). A Study on Effect of Yoga and Various Asanas on Obesity , Hypertension and Dyslipidemia. *International Journal of Basic and Applied Medical Sciences*, 2(1), 93–98.
- Udupa, K. (2000). *Stress and its Management by Yoga*. Delhi: Motilal Banarsidass Publishers Pvt Ltd.
- Van Baal, P. H. M., Polder, J. J., De Wit, G. A., Hoogenveen, R. T., Feenstra, T. L., Boshuizen, H. C., & Brouwer, W. B. F. (2008). Lifetime medical costs of obesity: Prevention no cure for increasing health expenditure. *PLoS Medicine*, 5, 242–49.
- Veerman, J. L., Barendregt, J. J., Forster, M., & Vos, T. (2011). Cost-effectiveness of pharmacotherapy to reduce obesity. *PLoS ONE*, 6(10), e26051.
- Vyavahare & Ulkanatu. (2007). *Yoga for health healing and Harmony*. Thane: Ghantali Mitra mandal.
- Walls, H. L., Backholer, K., Proietto, J., & McNeil, J. J. (2012). Obesity and trends in life expectancy. *Journal of Obesity*, 2012, 1–4.
- Webber, L., Divajeva, D., Marsh, T., McPherson, K., Brown, M., Galea, G., & Breda, J. (2014). The future burden of obesity-related diseases in the 53 WHO European-Region countries and the impact of effective interventions: a modelling study. *British Medical Journal Open*, 4(7), e004787.
- West, J., Manchester, B., Wright, J., Lawlor, D. A., & Waiblinger, D. (2011). Reliability of routine clinical measurements of neonatal circumferences and research measurements of neonatal skinfold thicknesses: Findings from the Born in Bradford study. *Paediatric and Perinatal Epidemiology*, 25, 164–71.
- WHO Obesity and overweight (2016). Retrieved from <http://www.who.int/mediacentre/factsheets>
- Yadav, K., & Krishnan, A. (2008). Changing patterns of diet, physical activity and obesity among urban, rural and slum populations in north India. *Obesity Reviews : An Official Journal of the International Association for the Study of Obesity*, 9(5), 400–8.
- Yang, K. (2007). A Review of Yoga Programs for Four Leading Risk Factors of Chronic Diseases. *Evidencebased Complementary and Alternative Medicine eCAM*, 4, 487–91.
- Yang, K., Bernardo, L. M., Sereika, S. M., Conroy, M. B., Balk, J., & Burke, L. E. (2011). Utilization of 3-month yoga program for adults at high risk for type 2 diabetes: A pilot study. *Evidence-Based Complementary and Alternative Medicine*, 2011, 1–6.
- Yogacharya Sundaram. (2004). *Sundara yogic therapy or Marvels of yogic cure* Bangalore: The Yoga Publishing House.
- Yoshihara, K., Hiramoto, T., Sudo, N., & Kubo, C. (2011). Profile of mood states and stress-related biochemical indices in long-term yoga practitioners. *BioPsychoSocial Medicine*, 5(6), 2-7.
- Zuithoff, N. P. A., Vergouwe, Y., King, M., Nazareth, I., Wezep, M. J., Moons, K. G. M., & Geerlings, M. I. (2010). The Patient Health Questionnaire-9 for detection of major depressive disorder in primary care: consequences of current thresholds in a crosssectional study. *BMC Family Practice*, 11(98), 1–7.